
US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.


Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).

FINDINGS: LIFE EXPECTANCY

Sex	Atlantic County	New Jersey	National	National rank	% change 1980-2014
Female	80.2	82.1	81.5	1635	+6.7
Male	75.1	77.8	76.7	1794	+11.1



life expectancy at birth (years), 2014



FINDINGS: ALL-CAUSE MORTALITY

Sex	Atlantic County	New Jersey	National	National rank	% change 1980-2014
Female	716.2	618.8	667.8	1450	-29.6
Male	1014.9	855.4	930.1	1589	-39.0

rate per 100,000 population, age-standardized, 2014






Fig. 4: Male all-cause mortality, 2014




FINDINGS: ISCHEMIC HEART DISEASE

Sex	Atlantic County	New Jersey	National	National rank	% change 1980-2014
Female	155.5	133.9	124.9	2205	-55.7
Male	212.6	190.6	191.5	1692	-65.3

rate per 100,000 population, age-standardized, 2014





FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

Sex	Atlantic County	New Jersey	National	National rank	% change 1980-2014
Female	39.1	39.5	47.4	326	-54.7
Male	48.3	43.6	48.8	1162	-50.4

rate per 100,000 population, age-standardized, 2014






Fig. 8: Male cerebrovascular disease (stroke), 2014





FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

Sex	Atlantic County	New Jersey	National	National rank	% change 1980-2014
Female	53.0	41.2	43.8	2134	+15.6
Male	70.7	58.4	67.6	1248	-47.1

rate per 100,000 population, age-standardized, 2014





Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



FINDINGS: BREAST CANCER

Sex	Atlantic County	New Jersey	National	National rank	% change 1980-2014
Female	30.8	27.6	25.9	2771	-30.0
Male	0.5	0.4	0.3	2930	-16.5

rate per 100,000 population, age-standardized, 2014




Fig. 11: Female breast cancer, 2014






Fig. 12: Male breast cancer, 2014

FINDINGS: MALIGNANT SKIN MELANOMA

Sex	Atlantic County	New Jersey	National	National rank	% change 1980-2014
Female	2.0	1.8	1.9	1308	-19.9
Male	4.4	4.1	4.5	978	-10.2

rate per 100,000 population, age-standardized, 2014






FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

Sex	Atlantic County	New Jersey	National	National rank	% change 1980-2014
Female	53.0	46.9	49.6	1405	-1.6
Male	78.3	66.2	63.8	2266	+13.0

rate per 100,000 population, age-standardized, 2014








Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

Sex	Atlantic County	New Jersey	National	National rank	% change 1980-2014
Female	8.8	5.6	9.0	1253	-3.9
Male	33.3	21.5	30.9	1641	-6.1

rate per 100,000 population, age-standardized, 2014







Fig. 18: Male self-harm and interpersonal violence mortality, 2014



FINDINGS: TRANSPORT INJURIES MORTALITY

Sex	Atlantic County	New Jersey	National	National rank	% change 1980-2014
Female	8.3	4.9	8.1	505	-47.4
Male	20.1	11.9	19.8	567	-55.7

rate per 100,000 population, age-standardized, 2014




Fig. 19: Female transport injuries mortality, 2014




Fig. 20: Male transport injuries mortality, 2014

FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

Sex	Atlantic County	New Jersey	National	National rank	% change 1980-2014
Female	11.3	6.5	8.2	2414	+263.4
Male	32.1	18.6	18.7	2947	+218.9

rate per 100,000 population, age-standardized, 2014







Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

Sex	Atlantic County	New Jersey	National	National rank	% change 1980-2014
Female	13.9	9.4	11.8	2075	-22.7
Male	27.8	18.4	22.2	2361	-25.3

rate per 100,000 population, age-standardized, 2014








Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014




FINDINGS: HEAVY DRINKING

Sex	Atlantic County	New Jersey	National	National rank	% change 2005-2012
Female	6.1	6.3	6.7	1960	+9.8
Male	8.5	8.2	9.9	789	+6.9

prevalence (%), age-standardized, 2012







FINDINGS: BINGE DRINKING

Sex	Atlantic County	New Jersey	National	National rank	% change 2002-2012
Female	13.3	13.2	12.4	2151	+8.4
Male	25.1	25.1	24.5	1731	+1.4

prevalence (%), age-standardized, 2012









FINDINGS: SMOKING

Sex	Atlantic County	New Jersey	National	National rank	% change 1996-2012
Female	21.4	16.0	17.9	1445	-14.6
Male	24.2	19.6	22.2	1218	-21.0

Fig. 29: Female smoking, 2012





FINDINGS: OBESITY

Sex	Atlantic County	New Jersey	National	National rank	% change 2001-2011
Female	35.2	32.2	36.1	658	+10.6
Male	35.7	32.6	33.8	884	+28.5

prevalence (%), age-standardized, 2011





Fig. 31: Female obesity, 2011



FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Atlantic County	New Jersey	National	National rank	% change 2001-2011
Female	53.5	51.9	52.6	992	+22.9
Male	60.1	56.2	56.3	364	+13.7

prevalence (%), age-standardized, 2011





Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Atlantic County, New Jersey. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

