COUNTY PROFILE: Bee County, Texas

US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).

FINDINGS: LIFE EXPECTANCY

% change 1980-2014	National rank	National	Texas	Bee County	Sex
+2.5	1646	81.5	80.8	80.2	Female
+8.2	1387	76.7	76.2	76.0	Male

life expectancy at birth (years), 2014

Fig. 1: Female life expectancy, 2014





Fig. 2: Male life expectancy, 2014



FINDINGS: ALL-CAUSE MORTALITY

Sex	Bee County	Texas	National	National rank	% change 1980-2014
Female	738.0	694.2	667.8	1658	-8.6
Male	973.0	954.8	930.1	1300	-31.5

rate per 100,000 population, age-standardized, 2014

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014




FINDINGS: ISCHEMIC HEART DISEASE

% change 1980-2014	National rank	National	Texas	Bee County	Sex
-39.1	1530	124.9	127.2	131.7	Female
-57.4	1380	191.5	197.7	199.1	Male

rate per 100,000 population, age-standardized, 2014

Fig. 5: Female ischemic heart disease, 2014



50 100 150 200 250 300 350 400 450 500

Fig. 6: Male ischemic heart disease, 2014

FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

% change 1980-2014	National rank	National	Texas	Bee County	Sex
-57.3	915	47.4	52.0	46.0	Female
-53.0	2344	48.8	54.0	59.7	Male

rate per 100,000 population, age-standardized, 2014

Fig. 7: Female cerebrovascular disease (stroke), 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014



FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

% change 1980-2014	National rank	National	Texas	Bee County	Sex
+4.4	612	43.8	38.4	37.4	Female
-50.9	666	67.6	62.9	58.7	Male

rate per 100,000 population, age-standardized, 2014

Fig. 9: Female tracheal, bronchus, and lung cancer, 2014





Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



FINDINGS: BREAST CANCER

% change 1980-2014	National rank	National	Texas	Bee County	Sex
-10.5	961	25.9	25.6	24.2	Female
-17.4	460	0.3	0.3	0.3	Male

rate per 100,000 population, age-standardized, 2014

Fig. 11: Female breast cancer, 2014





Fig. 12: Male breast cancer, 2014



FINDINGS: MALIGNANT SKIN MELANOMA

% change 1980-2014	National rank	National	Texas	Bee County	Sex
-26.9	114	1.9	1.6	1.4	Female
-15.7	80	4.5	4.0	2.8	Male

rate per 100,000 population, age-standardized, 2014

Fig. 13: Female malignant skin melanoma, 2014





Fig. 14: Male malignant skin melanoma, 2014



FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

% change 1980-2014	National rank	National	Texas	Bee County	Sex
+87.2	3042	49.6	55.9	96.3	Female
+55.1	2991	63.8	66.9	104.1	Male

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

% change 1980-2014	National rank	National	Texas	Bee County	Sex
-2.9	1119	9.0	8.4	8.5	Female
-33.2	579	30.9	28.8	24.8	Male

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014




Fig. 18: Male self-harm and interpersonal violence mortality, 2014

FINDINGS: TRANSPORT INJURIES MORTALITY

% change 1980-2014	National rank	National	Texas	Bee County	Sex
-23.2	1134	8.1	9.5	11.5	Female
-59.1	798	19.8	24.3	22.6	Male

rate per 100,000 population, age-standardized, 2014

Fig. 19: Female transport injuries mortality, 2014





Fig. 20: Male transport injuries mortality, 2014



FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

% change 1980-2014	National rank	National	Texas	Bee County	Sex
+280.5	813	8.2	6.4	5.7	Female
+131.4	148	18.7	13.9	6.9	Male

rate per 100,000 population, age-standardized, 2014

Fig. 21: Female mental and substance use disorders mortality, 2014





Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

% change 1980-2014	National rank	National	Texas	Bee County	Sex
+61.2	3024	11.8	14.5	21.5	Female
+68.3	3055	22.2	27.7	44.0	Male

rate per 100,000 population, age-standardized, 2014

 $\label{fig:prop:continuous} \textbf{Fig. 23: Female cirrhosis and other chronic liver diseases mortality}, \\$





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014





FINDINGS: HEAVY DRINKING

% change 2005-2012	National rank	National	Texas	Bee County	Sex
+49.6	1322	6.7	5.3	4.6	Female
+21.9	2816	9.9	9.5	14.3	Male

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012






FINDINGS: BINGE DRINKING


% change 2002-2012	National rank	National	Texas	Bee County	Sex
+37.6	2091	12.4	10.8	13.1	Female
+21.4	2889	24.5	24.5	33.9	Male

prevalence (%), age-standardized, 2012

Fig. 27: Female binge drinking, 2012







FINDINGS: SMOKING

% change 1996-2012	National rank	National	Texas	Bee County	Sex
-10.9	453	17.9	15.1	17.4	Female
-0.5	2247	22.2	22.1	28.2	Male

prevalence (%), age-standardized, 2012

Fig. 29: Female smoking, 2012





Fig. 30: Male smoking, 2012



FINDINGS: OBESITY

% change 2001-2011	National rank	National	Texas	Bee County	Sex
+30.5	2585	36.1	38.9	43.4	Female
+34.8	2272	33.8	36.0	39.1	Male

prevalence (%), age-standardized, 2011

Fig. 31: Female obesity, 2011





Fig. 32: Male obesity, 2011



FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Bee County	Texas	National	National rank	% change 2001-2011
Female	48.0	49.5	52.6	1913	+4.1
Male	50.9	54.1	56.3	2075	-5.4

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011





Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Bee County, Texas. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA

Telephone: +1-206-897-2800 E-mail: engage@healthdata.org

www.healthdata.org

