
## US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).

## FINDINGS: LIFE EXPECTANCY

| Sex    | <b>Berkeley</b> County | South Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 80.1                   | 79.4           | 81.5     | 1706          | +5.1               |
| Male   | 75.4                   | 74.3           | 76.7     | 1672          | +9.6               |



life expectancy at birth (years), 2014

Fig. 2: Male life expectancy, 2014

## FINDINGS: ALL-CAUSE MORTALITY

| Sex    | <b>Berkeley</b> County | South Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 707.0                  | 756.8          | 667.8    | 1353          | -23.4              |
| Male   | 996.3                  | 1071.3         | 930.1    | 1459          | -35.9              |

rate per 100,000 population, age-standardized, 2014






Fig. 4: Male all-cause mortality, 2014




## FINDINGS: ISCHEMIC HEART DISEASE

| Sex    | <b>Berkeley County</b> | South Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 108.6                  | 116.8          | 124.9    | 806           | -64.2              |
| Male   | 174.6                  | 199.4          | 191.5    | 793           | -67.8              |

rate per 100,000 population, age-standardized, 2014





## FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

| Sex    | <b>Berkeley</b> County | South Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 52.9                   | 55.2           | 47.4     | 1757          | -47.3              |
| Male   | 60.1                   | 59.0           | 48.8     | 2381          | -51.1              |

rate per 100,000 population, age-standardized, 2014







Fig. 8: Male cerebrovascular disease (stroke), 2014



# FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

| Sex    | <b>Berkeley County</b> | South Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 51.0                   | 47.2           | 43.8     | 1944          | +36.0              |
| Male   | 85.4                   | 83.5           | 67.6     | 1934          | -31.0              |

rate per 100,000 population, age-standardized, 2014






Fig. 10: Male tracheal, bronchus, and lung cancer, 2014




## FINDINGS: BREAST CANCER

| Sex    | <b>Berkeley County</b> | South Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 24.4                   | 28.1           | 25.9     | 1052          | -18.5              |
| Male   | 0.4                    | 0.4            | 0.3      | 2277          | -17.0              |

rate per 100,000 population, age-standardized, 2014



#### Fig. 11: Female breast cancer, 2014





### Fig. 12: Male breast cancer, 2014

#### FINDINGS: MALIGNANT SKIN MELANOMA

| Sex    | <b>Berkeley County</b> | South Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 1.6                    | 1.8            | 1.9      | 334           | -15.5              |
| Male   | 4.3                    | 4.7            | 4.5      | 825           | +20.7              |

rate per 100,000 population, age-standardized, 2014





## FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

| Sex    | <b>Berkeley County</b> | South Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 57.9                   | 59.2           | 49.6     | 1786          | +0.4               |
| Male   | 68.7                   | 70.3           | 63.8     | 1676          | +26.0              |

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



### FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

| Sex    | <b>Berkeley</b> County | South Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 9.9                    | 11.0           | 9.0      | 1721          | -1.0               |
| Male   | 32.3                   | 36.6           | 30.9     | 1506          | +14.3              |

rate per 100,000 population, age-standardized, 2014

#### Fig. 17: Female self-harm and interpersonal violence mortality, 2014






Fig. 18: Male self-harm and interpersonal violence mortality, 2014




# FINDINGS: TRANSPORT INJURIES MORTALITY


| Sex    | <b>Berkeley County</b> | South Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 11.9                   | 11.8           | 8.1      | 1232          | -34.4              |
| Male   | 30.9                   | 31.8           | 19.8     | 1578          | -40.8              |

rate per 100,000 population, age-standardized, 2014









## FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

| Sex    | <b>Berkeley</b> County | South Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 8.0                    | 9.5            | 8.2      | 1619          | +290.2             |
| Male   | 12.9                   | 17.8           | 18.7     | 1107          | +61.0              |

rate per 100,000 population, age-standardized, 2014







Fig. 22: Male mental and substance use disorders mortality, 2014




## FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY


| Sex    | <b>Berkeley</b> County | South Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 11.2                   | 14.1           | 11.8     | 1116          | -6.1               |
| Male   | 21.2                   | 27.8           | 22.2     | 1362          | +0.9               |

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality,




#### Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014




## FINDINGS: HEAVY DRINKING

| Sex    | <b>Berkeley</b> County | South Carolina | National | National rank | % change 2005-2012 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 5.0                    | 5.6            | 6.7      | 1490          | +30.7              |
| Male   | 10.2                   | 10.1           | 9.9      | 1512          | +5.7               |

prevalence (%), age-standardized, 2012





## FINDINGS: BINGE DRINKING

| Sex    | <b>Berkeley County</b> | South Carolina | National | National rank | % change 2002-2012 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 9.2                    | 10.1           | 12.4     | 1142          | +0.2               |
| Male   | 25.0                   | 23.5           | 24.5     | 1721          | +9.8               |

prevalence (%), age-standardized, 2012






Fig. 27: Female binge drinking, 2012




## FINDINGS: SMOKING

| Sex    | <b>Berkeley County</b> | South Carolina | National | National rank | % change 1996-2012 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 20.1                   | 19.6           | 17.9     | 1067          | -13.0              |
| Male   | 25.9                   | 25.3           | 22.2     | 1708          | -12.6              |

prevalence (%), age-standardized, 2012







## FINDINGS: OBESITY

| Sex    | <b>Berkeley County</b> | South Carolina | National | National rank | % change 2001-2011 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 48.6                   | 40.7           | 36.1     | 2973          | +53.8              |
| Male   | 37.5                   | 35.4           | 33.8     | 1590          | +27.8              |

prevalence (%), age-standardized, 2011








\_ \_ \_ \_ \_ \_ \_ \_ \_ \_


### FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

| Sex    | <b>Berkeley County</b> | South Carolina | National | National rank | % change 2001-2011 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 45.6                   | 49.1           | 52.6     | 2261          | +10.3              |
| Male   | 53.7                   | 55.1           | 56.3     | 1532          | -10.3              |

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011





### **CITATION:**

Institute for Health Metrics and Evaluation (IHME), US County Profile: Berkeley County, South Carolina. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

