
US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).


FINDINGS: LIFE EXPECTANCY

Sex	Blaine County	Idaho	National	National rank	% change 1980-2014
Female	84.3	81.4	81.5	47	+5.4
Male	81.7	77.6	76.7	18	+10.8



life expectancy at birth (years), 2014

Fig. 2: Male life expectancy, 2014



FINDINGS: ALL-CAUSE MORTALITY

Sex	Blaine County	Idaho	National	National rank	% change 1980-2014
Female	490.7	674.7	667.8	40	-30.0
Male	591.1	885.2	930.1	15	-45.5





Fig. 4: Male all-cause mortality, 2014



FINDINGS: ISCHEMIC HEART DISEASE

Sex	Blaine County	Idaho	National	National rank	% change 1980-2014
Female	59.0	99.4	124.9	14	-62.3
Male	76.4	163.5	191.5	8	-72.2

rate per 100,000 population, age-standardized, 2014

Fig. 5: Female ischemic heart disease, 2014





Fig. 6: Male ischemic heart disease, 2014



FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

Sex	Blaine County	Idaho	National	National rank	% change 1980-2014
Female	38.3	51.1	47.4	283	-44.9
Male	32.7	49.2	48.8	70	-55.8





Fig. 8: Male cerebrovascular disease (stroke), 2014



FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

Sex	Blaine County	Idaho	National	National rank	% change 1980-2014
Female	23.5	38.9	43.8	70	+5.8
Male	26.3	51.4	67.6	23	-57.4

rate per 100,000 population, age-standardized, 2014

Fig. 9: Female tracheal, bronchus, and lung cancer, 2014





Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



FINDINGS: BREAST CANCER

Sex	Blaine County	Idaho	National	National rank	% change 1980-2014
Female	20.3	24.3	25.9	127	-35.2
Male	0.2	0.3	0.3	62	-34.2

rate per 100,000 population, age-standardized, 2014




Fig. 11: Female breast cancer, 2014





Fig. 12: Male breast cancer, 2014

FINDINGS: MALIGNANT SKIN MELANOMA

Sex	Blaine County	Idaho	National	National rank	% change 1980-2014
Female	2.0	2.3	1.9	1058	-8.9
Male	3.7	5.6	4.5	405	-8.0

rate per 100,000 population, age-standardized, 2014

1.2 1.4 1.6 1.8 ź 2.2 2.4 2.6 2.8 з i.



FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

Sex	Blaine County	Idaho	National	National rank	% change 1980-2014
Female	31.8	49.7	49.6	91	+3.5
Male	30.4	58.6	63.8	24	-4.6

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014






Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014






FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

Sex	Blaine County	Idaho	National	National rank	% change 1980-2014
Female	9.4	11.3	9.0	1526	+24.4
Male	36.2	34.8	30.9	2007	+2.0

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014



FINDINGS: TRANSPORT INJURIES MORTALITY

Sex	Blaine County	Idaho	National	National rank	% change 1980-2014
Female	16.0	10.6	8.1	2113	-34.2
Male	30.7	23.3	19.8	1559	-50.0




Fig. 19: Female transport injuries mortality, 2014 Fig. 1





Fig. 18: Male self-harm and interpersonal violence mortality, 2014



FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

Sex	Blaine County	Idaho	National	National rank	% change 1980-2014
Female	5.0	8.9	8.2	567	+191.7
Male	7.0	13.5	18.7	157	+76.6

rate per 100,000 population, age-standardized, 2014







Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

Sex	Blaine County	Idaho	National	National rank	% change 1980-2014
Female	9.3	12.8	11.8	498	-10.8
Male	14.5	21.4	22.2	354	-2.0

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality,






Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014




FINDINGS: HEAVY DRINKING

Sex	Blaine County	Idaho	National	National rank	% change 2005-2012
Female	12.9	7.0	6.7	3091	+25.0
Male	14.4	10.7	9.9	2833	+7.1

prevalence (%), age-standardized, 2012





FINDINGS: BINGE DRINKING

Sex	Blaine County	Idaho	National	National rank	% change 2002-2012
Female	15.8	12.1	12.4	2649	-8.7
Male	30.6	22.7	24.5	2593	-9.5

prevalence (%), age-standardized, 2012




Fig. 27: Female binge drinking, 2012






Fig. 26: Male heavy drinking, 2012

FINDINGS: SMOKING

Sex	Blaine County	Idaho	National	National rank	% change 1996-2012
Female	11.4	18.0	17.9	43	-25.4
Male	16.5	21.4	22.2	64	-20.4

prevalence (%), age-standardized, 2012






FINDINGS: OBESITY

Sex	Blaine County	Idaho	National	National rank	% change 2001-2011
Female	24.3	35.0	36.1	23	+26.9
Male	28.1	33.9	33.8	89	+41.8

prevalence (%), age-standardized, 2011






Fig. 32: Male obesity, 2011

FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Blaine County	Idaho	National	National rank	% change 2001-2011
Female	62.8	58.7	52.6	96	-2.4
Male	69.4	60.5	56.3	18	-1.2

prevalence (%), age-standardized, 2011







Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Blaine County, Idaho. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

