
US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).


FINDINGS: LIFE EXPECTANCY

Sex	Brookings County	South Dakota	National	National rank	% change 1980-2014
Female	83.2	82.0	81.5	222	+2.6
Male	79.3	77.2	76.7	175	+6.8



life expectancy at birth (years), 2014

Fig. 2: Male life expectancy, 2014



FINDINGS: ALL-CAUSE MORTALITY

Sex	Brookings County	South Dakota	National	National rank	% change 1980-2014
Female	572.8	620.2	667.8	264	-12.7
Male	826.1	899.0	930.1	371	-30.6

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014



FINDINGS: ISCHEMIC HEART DISEASE

Sex	Brookings County	South Dakota	National	National rank	% change 1980-2014
Female	105.3	106.9	124.9	702	-48.3
Male	169.3	186.7	191.5	695	-61.0

rate per 100,000 population, age-standardized, 2014

Fig. 5: Female ischemic heart disease, 2014





Fig. 6: Male ischemic heart disease, 2014



FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

Sex	Brookings County	South Dakota	National	National rank	% change 1980-2014
Female	60.4	46.8	47.4	2441	-13.3
Male	56.6	48.7	48.8	2049	-37.2

rate per 100,000 population, age-standardized, 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014



FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

Sex	Brookings County	South Dakota	National	National rank	% change 1980-2014
Female	32.0	40.2	43.8	293	+75.9
Male	56.4	66.5	67.6	553	-6.7

rate per 100,000 population, age-standardized, 2014







Fig. 10: Male tracheal, bronchus, and lung cancer, 2014




FINDINGS: BREAST CANCER

Sex	Brookings County	South Dakota	National	National rank	% change 1980-2014
Female	21.9	23.2	25.9	344	-32.2
Male	0.3	0.3	0.3	888	-7.8








FINDINGS: MALIGNANT SKIN MELANOMA

Sex	Brookings County	South Dakota	National	National rank	% change 1980-2014
Female	2.1	1.9	1.9	1523	+17.2
Male	4.1	4.0	4.5	730	+46.3

rate per 100,000 population, age-standardized, 2014



FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

Sex	Brookings County	South Dakota	National	National rank	% change 1980-2014
Female	36.5	46.1	49.6	244	+61.0
Male	45.3	56.8	63.8	197	+26.3

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014




Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014






Fig. 14: Male malignant skin melanoma, 2014

FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

Sex	Brookings County	South Dakota	National	National rank	% change 1980-2014
Female	4.5	9.3	9.0	21	-5.2
Male	16.9	31.2	30.9	43	-2.8


rate per 100,000 population, age-standardized, 2014







FINDINGS: TRANSPORT INJURIES MORTALITY

Sex	Brookings County	South Dakota	National	National rank	% change 1980-2014
Female	7.3	11.9	8.1	358	-29.8
Male	18.0	27.1	19.8	409	-28.3










FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

Sex	Brookings County	South Dakota	National	National rank	% change 1980-2014
Female	3.0	6.0	8.2	73	+189.6
Male	8.1	11.4	18.7	283	+73.0

rate per 100,000 population, age-standardized, 2014







Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

Sex	Brookings County	South Dakota	National	National rank	% change 1980-2014
Female	8.3	14.8	11.8	251	-2.2
Male	12.5	21.6	22.2	172	-9.3

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality,





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014




FINDINGS: HEAVY DRINKING

Sex	Brookings County	South Dakota	National	National rank	% change 2005-2012
Female	7.6	6.6	6.7	2474	+70.6
Male	10.4	13.0	9.9	1601	+35.3

Fig. 25: Female heavy drinking, 2012

prevalence (%), age-standardized, 2012



FINDINGS: BINGE DRINKING

Sex	Brookings County	South Dakota	National	National rank	% change 2002-2012
Female	16.9	15.6	12.4	2803	+31.4
Male	27.7	30.9	24.5	2199	-0.3

prevalence (%), age-standardized, 2012






Fig. 28: Male binge drinking, 2012




FINDINGS: SMOKING

Sex	Brookings County	South Dakota	National	National rank	% change 1996-2012
Female	15.1	20.1	17.9	207	-19.3
Male	18.9	23.3	22.2	176	-13.7



prevalence (%), age-standardized, 2012



FINDINGS: OBESITY

Sex	Brookings County	South Dakota	National	National rank	% change 2001-2011
Female	33.4	35.6	36.1	349	+28.1
Male	33.3	36.0	33.8	376	+25.8

prevalence (%), age-standardized, 2011




Fig. 31: Female obesity, 2011




Fig. 32: Male obesity, 2011

FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Brookings County	South Dakota	National	National rank	% change 2001-2011
Female	53.4	52.0	52.6	1011	+6.2
Male	58.4	52.3	56.3	589	+3.1

prevalence (%), age-standardized, 2011





Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Brookings County, South Dakota. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

