
US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.


Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).

FINDINGS: LIFE EXPECTANCY

Sex	Burlington County	New Jersey	National	National rank	% change 1980-2014
Female	81.6	82.1	81.5	859	+5.2
Male	77.8	77.8	76.7	557	+9.3



life expectancy at birth (years), 2014



FINDINGS: ALL-CAUSE MORTALITY

Sex	Burlington County	New Jersey	National	National rank	% change 1980-2014
Female	663.0	618.8	667.8	915	-26.4
Male	879.7	855.4	930.1	661	-38.6

rate per 100,000 population, age-standardized, 2014






Fig. 4: Male all-cause mortality, 2014




FINDINGS: ISCHEMIC HEART DISEASE

Sex	Burlington County	New Jersey	National	National rank	% change 1980-2014
Female	131.2	133.9	124.9	1515	-56.0
Male	179.8	190.6	191.5	910	-64.8

rate per 100,000 population, age-standardized, 2014





FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

Sex	Burlington County	New Jersey	National	National rank	% change 1980-2014
Female	47.9	39.5	47.4	1150	-40.9
Male	47.0	43.6	48.8	994	-50.3

rate per 100,000 population, age-standardized, 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014



FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

Sex	Burlington County	New Jersey	National	National rank	% change 1980-2014
Female	44.8	41.2	43.8	1266	+12.9
Male	63.2	58.4	67.6	897	-43.7

rate per 100,000 population, age-standardized, 2014





Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



FINDINGS: BREAST CANCER

Sex	Burlington County	New Jersey	National	National rank	% change 1980-2014
Female	28.8	27.6	25.9	2441	-27.7
Male	0.4	0.4	0.3	2821	-6.9

rate per 100,000 population, age-standardized, 2014






Fig. 11: Female breast cancer, 2014




FINDINGS: MALIGNANT SKIN MELANOMA

Sex	Burlington County	New Jersey	National	National rank	% change 1980-2014
Female	2.0	1.8	1.9	1328	-6.7
Male	4.9	4.1	4.5	1583	+8.8

rate per 100,000 population, age-standardized, 2014





FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

Sex	Burlington County	New Jersey	National	National rank	% change 1980-2014
Female	49.7	46.9	49.6	1139	+18.5
Male	69.1	66.2	63.8	1692	+26.5

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014






Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

Sex	Burlington County	New Jersey	National	National rank	% change 1980-2014
Female	6.6	5.6	9.0	413	+2.0
Male	20.9	21.5	30.9	225	+10.4

rate per 100,000 population, age-standardized, 2014







Fig. 18: Male self-harm and interpersonal violence mortality, 2014



FINDINGS: TRANSPORT INJURIES MORTALITY

Sex	Burlington County	New Jersey	National	National rank	% change 1980-2014
Female	6.0	4.9	8.1	180	-50.8
Male	13.8	11.9	19.8	169	-55.2

rate per 100,000 population, age-standardized, 2014





Fig. 20: Male transport injuries mortality, 2014



FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

Sex	Burlington County	New Jersey	National	National rank	% change 1980-2014
Female	7.2	6.5	8.2	1347	+418.9
Male	16.2	18.6	18.7	1697	+317.1

rate per 100,000 population, age-standardized, 2014







Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

Sex	Burlington County	New Jersey	National	National rank	% change 1980-2014
Female	10.1	9.4	11.8	765	-23.9
Male	18.7	18.4	22.2	997	-27.4

rate per 100,000 population, age-standardized, 2014








Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014




FINDINGS: HEAVY DRINKING

Sex	Burlington County	New Jersey	National	National rank	% change 2005-2012
Female	6.3	6.3	6.7	2019	+27.9
Male	8.4	8.2	9.9	743	+21.4

prevalence (%), age-standardized, 2012







FINDINGS: BINGE DRINKING

Sex	Burlington County	New Jersey	National	National rank	% change 2002-2012
Female	12.8	13.2	12.4	2037	+8.4
Male	24.6	25.1	24.5	1636	+6.1

prevalence (%), age-standardized, 2012









FINDINGS: SMOKING

Sex	Burlington County	New Jersey	National	National rank	% change 1996-2012
Female	18.1	16.0	17.9	573	-21.6
Male	19.9	19.6	22.2	256	-20.7

prevalence (%), age-standardized, 2012





FINDINGS: OBESITY

Sex	Burlington County	New Jersey	National	National rank	% change 2001-2011
Female	32.4	32.2	36.1	252	+20.0
Male	36.8	32.6	33.8	1302	+51.4

prevalence (%), age-standardized, 2011





Fig. 31: Female obesity, 2011



FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Burlington County	New Jersey	National	National rank	% change 2001-2011
Female	55.6	51.9	52.6	652	+10.0
Male	59.8	56.2	56.3	418	-2.5

prevalence (%), age-standardized, 2011





Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Burlington County, New Jersey. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

