
US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).


FINDINGS: LIFE EXPECTANCY

| Sex | Cannon County | Tennessee | National | National rank | % change 1980-2014 |
|--------|----------------------|-----------|----------|---------------|--------------------|
| Female | 78.3 | 78.9 | 81.5 | 2517 | -0.2 |
| Male | 72.6 | 73.7 | 76.7 | 2613 | +5.0 |



life expectancy at birth (years), 2014

Fig. 2: Male life expectancy, 2014



FINDINGS: ALL-CAUSE MORTALITY

| Sex | Cannon County | Tennessee | National | National rank | % change 1980-2014 |
|--------|----------------------|-----------|----------|---------------|--------------------|
| Female | 857.2 | 811.8 | 667.8 | 2576 | +12.0 |
| Male | 1267.9 | 1148.8 | 930.1 | 2761 | -16.7 |

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014



FINDINGS: ISCHEMIC HEART DISEASE

| Sex | Cannon County | Tennessee | National | National rank | % change 1980-2014 |
|--------|----------------------|-----------|----------|---------------|--------------------|
| Female | 174.1 | 151.3 | 124.9 | 2558 | -25.3 |
| Male | 312.0 | 241.0 | 191.5 | 2972 | -37.6 |

rate per 100,000 population, age-standardized, 2014





Fig. 6: Male ischemic heart disease, 2014



FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

| Sex | Cannon County | Tennessee | National | National rank | % change 1980-2014 |
|--------|----------------------|-----------|----------|---------------|--------------------|
| Female | 72.6 | 58.3 | 47.4 | 2965 | -16.6 |
| Male | 77.0 | 62.0 | 48.8 | 3019 | -42.2 |






Fig. 8: Male cerebrovascular disease (stroke), 2014





FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

| Sex | Cannon County | Tennessee | National | National rank | % change 1980-2014 |
|--------|----------------------|-----------|----------|---------------|--------------------|
| Female | 49.4 | 54.7 | 43.8 | 1779 | +116.4 |
| Male | 102.6 | 98.5 | 67.6 | 2517 | -14.0 |

rate per 100,000 population, age-standardized, 2014





Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



FINDINGS: BREAST CANCER

| Sex | Cannon County | Tennessee | National | National rank | % change 1980-2014 |
|--------|----------------------|-----------|----------|---------------|--------------------|
| Female | 24.7 | 27.9 | 25.9 | 1160 | -6.3 |
| Male | 0.4 | 0.4 | 0.3 | 2581 | +7.6 |





Fig. 11: Female breast cancer, 2014

Fig. 12: Male breast cancer, 2014





FINDINGS: MALIGNANT SKIN MELANOMA

| Sex | Cannon County | Tennessee | National | National rank | % change 1980-2014 |
|--------|----------------------|-----------|----------|---------------|--------------------|
| Female | 2.6 | 2.0 | 1.9 | 2880 | +19.0 |
| Male | 6.9 | 5.3 | 4.5 | 3099 | +72.5 |

rate per 100,000 population, age-standardized, 2014

Fig. 13: Female malignant skin melanoma, 2014





FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

| Sex | Cannon County | Tennessee | National | National rank | % change 1980-2014 |
|--------|----------------------|-----------|----------|---------------|--------------------|
| Female | 71.2 | 61.3 | 49.6 | 2584 | +45.3 |
| Male | 74.4 | 74.2 | 63.8 | 2034 | +22.7 |

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

| Sex | Cannon County | Tennessee | National | National rank | % change 1980-2014 |
|--------|----------------------|-----------|----------|---------------|--------------------|
| Female | 14.2 | 11.6 | 9.0 | 2839 | +35.5 |
| Male | 41.4 | 38.9 | 30.9 | 2501 | -10.3 |

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014





Fig. 18: Male self-harm and interpersonal violence mortality, 2014



FINDINGS: TRANSPORT INJURIES MORTALITY

| Sex | Cannon County | Tennessee | National | National rank | % change 1980-2014 |
|--------|----------------------|-----------|----------|---------------|--------------------|
| Female | 25.3 | 12.1 | 8.1 | 3045 | +18.2 |
| Male | 40.8 | 28.8 | 19.8 | 2399 | -24.6 |

rate per 100,000 population, age-standardized, 2014




Fig. 19: Female transport injuries mortality, 2014




Fig. 20: Male transport injuries mortality, 2014

30 40 50 60 70 80 90 100 110 120 130 10 20

FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

| Sex | Cannon County | Tennessee | National | National rank | % change 1980-2014 |
|--------|----------------------|-----------|----------|---------------|--------------------|
| Female | 19.5 | 12.4 | 8.2 | 3013 | +1076.5 |
| Male | 21.2 | 22.9 | 18.7 | 2326 | +352.2 |

rate per 100,000 population, age-standardized, 2014







Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

| Sex | Cannon County | Tennessee | National | National rank | % change 1980-2014 |
|--------|----------------------|-----------|----------|---------------|--------------------|
| Female | 12.6 | 13.5 | 11.8 | 1646 | +73.3 |
| Male | 26.5 | 26.7 | 22.2 | 2227 | +38.7 |

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality, 2014





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014





FINDINGS: HEAVY DRINKING

| Sex | Cannon County | Tennessee | National | National rank | % change 2005-2012 |
|--------|----------------------|-----------|----------|---------------|--------------------|
| Female | 2.0 | 4.0 | 6.7 | 151 | +19.8 |
| Male | 6.6 | 7.0 | 9.9 | 142 | +24.2 |

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012





FINDINGS: BINGE DRINKING

| Sex | Cannon County | Tennessee | National | National rank | % change 2002-2012 |
|--------|----------------------|-----------|----------|---------------|--------------------|
| Female | 5.2 | 7.9 | 12.4 | 160 | +72.7 |
| Male | 14.8 | 17.4 | 24.5 | 78 | +24.2 |

prevalence (%), age-standardized, 2012





Fig. 27: Female binge drinking, 2012




FINDINGS: SMOKING

| Sex | Cannon County | Tennessee | National | National rank | % change 1996-2012 |
|--------|----------------------|-----------|----------|---------------|--------------------|
| Female | 27.2 | 22.1 | 17.9 | 2836 | -4.7 |
| Male | 29.2 | 25.9 | 22.2 | 2478 | -12.1 |

prevalence (%), age-standardized, 2012

Fig. 29: Female smoking, 2012 10 15 20 25 зо 35 40



FINDINGS: OBESITY

| Sex | Cannon County | Tennessee | National | National rank | % change 2001-2011 |
|--------|----------------------|-----------|----------|---------------|--------------------|
| Female | 42.5 | 39.9 | 36.1 | 2443 | +34.0 |
| Male | 38.8 | 36.1 | 33.8 | 2182 | +32.8 |

prevalence (%), age-standardized, 2011






Fig. 32: Male obesity, 2011





FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

| Sex | Cannon County | Tennessee | National | National rank | % change 2001-2011 |
|--------|----------------------|-----------|----------|---------------|--------------------|
| Female | 38.2 | 39.9 | 52.6 | 2942 | +14.5 |
| Male | 41.7 | 46.7 | 56.3 | 3035 | -5.4 |

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011





Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Cannon County, Tennessee. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

