
US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).


FINDINGS: LIFE EXPECTANCY

| Sex | Chickasaw County | Mississippi | National | National rank | % change 1980-2014 |
|--------|------------------|-------------|----------|---------------|--------------------|
| Female | 78.4 | 77.9 | 81.5 | 2503 | +1.5 |
| Male | 72.3 | 71.9 | 76.7 | 2696 | +8.1 |



life expectancy at birth (years), 2014

Fig. 2: Male life expectancy, 2014



FINDINGS: ALL-CAUSE MORTALITY

| Sex | Chickasaw County | Mississippi | National | National rank | % change 1980-2014 |
|--------|------------------|-------------|----------|---------------|--------------------|
| Female | 809.4 | 854.6 | 667.8 | 2264 | +0.5 |
| Male | 1206.8 | 1262.5 | 930.1 | 2567 | -26.4 |

rate per 100,000 population, age-standardized, 2014

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014



FINDINGS: ISCHEMIC HEART DISEASE

| Sex | Chickasaw County | Mississippi | National | National rank | % change 1980-2014 |
|--------|------------------|-------------|----------|---------------|--------------------|
| Female | 175.1 | 174.7 | 124.9 | 2578 | -40.5 |
| Male | 263.2 | 263.6 | 191.5 | 2583 | -59.2 |

rate per 100,000 population, age-standardized, 2014





Fig. 6: Male ischemic heart disease, 2014



FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

| Sex | Chickasaw County | Mississippi | National | National rank | % change 1980-2014 |
|--------|------------------|-------------|----------|---------------|--------------------|
| Female | 59.7 | 56.9 | 47.4 | 2400 | -27.1 |
| Male | 58.2 | 65.5 | 48.8 | 2226 | -49.5 |

rate per 100,000 population, age-standardized, 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014



FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

| Sex | Chickasaw County | Mississippi | National | National rank | % change 1980-2014 |
|--------|------------------|-------------|----------|---------------|--------------------|
| Female | 44.8 | 51.6 | 43.8 | 1278 | +74.6 |
| Male | 116.4 | 105.7 | 67.6 | 2847 | -8.4 |

rate per 100,000 population, age-standardized, 2014





Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



FINDINGS: BREAST CANCER

| Sex | Chickasaw County | Mississippi | National | National rank | % change 1980-2014 |
|--------|------------------|-------------|----------|---------------|--------------------|
| Female | 28.6 | 31.0 | 25.9 | 2390 | -0.8 |
| Male | 0.4 | 0.4 | 0.3 | 2758 | -11.5 |

rate per 100,000 population, age-standardized, 2014






Fig. 12: Male breast cancer, 2014




FINDINGS: MALIGNANT SKIN MELANOMA

| Sex | Chickasaw County | Mississippi | National | National rank | % change 1980-2014 |
|--------|------------------|-------------|----------|---------------|--------------------|
| Female | 1.5 | 1.6 | 1.9 | 165 | -16.8 |
| Male | 3.8 | 4.2 | 4.5 | 463 | +27.3 |

rate per 100,000 population, age-standardized, 2014





FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

| Sex | Chickasaw County | Mississippi | National | National rank | % change 1980-2014 |
|--------|------------------|-------------|----------|---------------|--------------------|
| Female | 63.6 | 71.3 | 49.6 | 2184 | +43.4 |
| Male | 72.2 | 86.4 | 63.8 | 1903 | +25.4 |

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014




FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

| Sex | Chickasaw County | Mississippi | National | National rank | % change 1980-2014 |
|--------|------------------|-------------|----------|---------------|--------------------|
| Female | 11.0 | 11.8 | 9.0 | 2116 | -4.9 |
| Male | 38.2 | 44.1 | 30.9 | 2224 | -12.5 |

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014



FINDINGS: TRANSPORT INJURIES MORTALITY

| Sex | Chickasaw County | Mississippi | National | National rank | % change 1980-2014 |
|--------|------------------|-------------|----------|---------------|--------------------|
| Female | 19.1 | 17.7 | 8.1 | 2599 | -1.3 |
| Male | 51.5 | 42.6 | 19.8 | 2905 | -27.5 |

20

40

60

80

100


120

140

160

180

rate per 100,000 population, age-standardized, 2014








Fig. 18: Male self-harm and interpersonal violence mortality, 2014



FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

| Sex | Chickasaw County | Mississippi | National | National rank | % change 1980-2014 |
|--------|------------------|-------------|----------|---------------|--------------------|
| Female | 7.5 | 8.2 | 8.2 | 1470 | +579.8 |
| Male | 9.0 | 16.9 | 18.7 | 411 | +100.3 |

rate per 100,000 population, age-standardized, 2014







Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

| Sex | Chickasaw County | Mississippi | National | National rank | % change 1980-2014 |
|--------|------------------|-------------|----------|---------------|--------------------|
| Female | 11.4 | 14.0 | 11.8 | 1214 | +38.9 |
| Male | 22.6 | 27.5 | 22.2 | 1627 | +6.1 |

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality,





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014




FINDINGS: HEAVY DRINKING

| Sex | Chickasaw County | Mississippi | National | National rank | % change 2005-2012 |
|--------|------------------|-------------|----------|---------------|--------------------|
| Female | 1.5 | 3.8 | 6.7 | 34 | -4.9 |
| Male | 6.0 | 8.8 | 9.9 | 89 | -1.1 |

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012



FINDINGS: BINGE DRINKING

| Sex | Chickasaw County | Mississippi | National | National rank | % change 2002-2012 |
|--------|------------------|-------------|----------|---------------|--------------------|
| Female | 4.3 | 7.5 | 12.4 | 36 | +12.2 |
| Male | 15.2 | 20.0 | 24.5 | 95 | -14.6 |

prevalence (%), age-standardized, 2012





Fig. 28: Male binge drinking, 2012



FINDINGS: SMOKING

| Sex | Chickasaw County | Mississippi | National | National rank | % change 1996-2012 |
|--------|------------------|-------------|----------|---------------|--------------------|
| Female | 22.5 | 21.1 | 17.9 | 1785 | -2.4 |
| Male | 31.0 | 28.4 | 22.2 | 2830 | -9.5 |

Fig. 29: Female smoking, 2012

prevalence (%), age-standardized, 2012

FINDINGS: OBESITY

| Sex | Chickasaw County | Mississippi | National | National rank | % change 2001-2011 |
|--------|------------------|-------------|----------|---------------|--------------------|
| Female | 43.3 | 44.5 | 36.1 | 2565 | +1.4 |
| Male | 42.6 | 39.1 | 33.8 | 3026 | +25.7 |

prevalence (%), age-standardized, 2011





Fig. 32: Male obesity, 2011



FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

| Sex | Chickasaw County | Mississippi | National | National rank | % change 2001-2011 |
|--------|------------------|-------------|----------|---------------|--------------------|
| Female | 36.2 | 39.7 | 52.6 | 3039 | +27.2 |
| Male | 43.5 | 47.2 | 56.3 | 2948 | +2.0 |

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011





Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Chickasaw County, Mississippi. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

