COUNTY PROFILE: Clay County, Alabama

US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).

FINDINGS: LIFE EXPECTANCY

% change 1980-2014	National rank	National	Alabama	Clay County	Sex
+0.6	2724	81.5	78.3	77.8	Female
+6.1	2672	76.7	72.9	72.4	Male

life expectancy at birth (years), 2014

Fig. 1: Female life expectancy, 2014





Fig. 2: Male life expectancy, 2014



FINDINGS: ALL-CAUSE MORTALITY

Sex	Clay County	Alabama	National	National rank	% change 1980-2014
Female	902.2	841.7	667.8	2821	+7.1
Male	1234.7	1195.9	930.1	2653	-19.5

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014



FINDINGS: ISCHEMIC HEART DISEASE

% change 1980-2014	National rank	National	Alabama	Clay County	Sex
+5.1	3099	124.9	157.8	246.2	Female
-27.4	3038	191.5	233.7	331.4	Male

rate per 100,000 population, age-standardized, 2014

Fig. 5: Female ischemic heart disease, 2014





Fig. 6: Male ischemic heart disease, 2014



FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

% change 1980-2014	National rank	National	Alabama	Clay County	Sex
-45.6	2203	47.4	59.8	57.4	Female
-51.2	1818	48.8	64.0	54.2	Male

Fig. 7: Female cerebrovascular disease (stroke), 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014




FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

% change 1980-2014	National rank	National	Alabama	Clay County	Sex
+66.7	1675	43.8	52.5	48.5	Female
-18.4	2707	67.6	101.0	109.9	Male

rate per 100,000 population, age-standardized, 2014

Fig. 9: Female tracheal, bronchus, and lung cancer, 2014



100

150

Fig. 10: Male tracheal, bronchus, and lung cancer, 2014

FINDINGS: BREAST CANCER

% change 1980-2014	National rank	National	Alabama	Clay County	Sex
-16.6	1314	25.9	30.2	25.1	Female
-15.4	2273	0.3	0.4	0.4	Male

rate per 100,000 population, age-standardized, 2014

Fig. 11: Female breast cancer, 2014





Fig. 12: Male breast cancer, 2014




http://www.healthdata.org Clay County, Alabama | page 3


FINDINGS: MALIGNANT SKIN MELANOMA

% change 1980-2014	National rank	National	Alabama	Clay County	Sex
-5.7	1699	1.9	2.1	2.1	Female
+42.3	2739	4.5	5.2	6.0	Male

rate per 100,000 population, age-standardized, 2014

Fig. 13: Female malignant skin melanoma, 2014





FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

% change 1980-2014	National rank	National	Alabama	Clay County	Sex
+19.6	2008	49.6	64.3	61.1	Female
+7.6	1811	63.8	78.8	70.9	Male

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

Sex	Clay County	Alabama	National	National rank	% change 1980-2014
Female	9.5	11.7	9.0	1546	-21.6
Male	40.9	42.8	30.9	2459	-14.2

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014




Fig. 18: Male self-harm and interpersonal violence mortality, 2014

FINDINGS: TRANSPORT INJURIES MORTALITY

% change 1980-2014	National rank	National	Alabama	Clay County	Sex
-12.4	2691	8.1	14.8	20.1	Female
-42.7	2476	19.8	34.6	42.0	Male

rate per 100,000 population, age-standardized, 2014

Fig. 19: Female transport injuries mortality, 2014





Fig. 20: Male transport injuries mortality, 2014



http://www.healthdata.org Clay County, Alabama | page 5

FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

Sex	Clay County	Alabama	National	National rank	% change 1980-2014
Female	6.6	10.1	8.2	1135	+333.4
Male	12.8	18.9	18.7	1093	+147.8

rate per 100,000 population, age-standardized, 2014

Fig. 21: Female mental and substance use disorders mortality, 2014




Fig. 22: Male mental and substance use disorders mortality, 2014

FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

% change 1980-2014	National rank	National	Alabama	Clay County	Sex
+44.2	2853	11.8	15.3	18.4	Female
+11.4	1770	22.2	29.0	23.6	Male

Fig. 23: Female cirrhosis and other chronic liver diseases mortality, 2014





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014





FINDINGS: HEAVY DRINKING

Sex	Clay County	Alabama	National	National rank	% change 2005-2012
Female	1.9	4.3	6.7	117	+17.6
Male	7.7	8.9	9.9	452	+12.4

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012





FINDINGS: BINGE DRINKING

% change 2002-2012	National rank	National	Alabama	Clay County	Sex
+12.7	66	12.4	7.9	4.6	Female
-10.5	116	24.5	19.1	15.5	Male

prevalence (%), age-standardized, 2012

Fig. 27: Female binge drinking, 2012





Fig. 28: Male binge drinking, 2012





FINDINGS: SMOKING

% change 1996-2012	National rank	National	Alabama	Clay County	Sex
+7.4	2814	17.9	21.0	27.0	Female
-4.5	2814	22.2	26.8	30.8	Male

prevalence (%), age-standardized, 2012

Fig. 29: Female smoking, 2012





FINDINGS: OBESITY

% change 2001-2011	National rank	National	Alabama	Clay County	Sex
+24.2	2783	36.1	42.2	45.4	Female
+22.4	2335	33.8	37.3	39.2	Male

prevalence (%), age-standardized, 2011

Fig. 31: Female obesity, 2011





Fig. 32: Male obesity, 2011



FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Clay County	Alabama	National	National rank	% change 2001-2011
Female	39.0	42.0	52.6	2868	+15.8
Male	44.1	49.5	56.3	2912	-4.2

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011





Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Clay County, Alabama. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA

Telephone: +1-206-897-2800 E-mail: engage@healthdata.org

www.healthdata.org

