US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).

FINDINGS: LIFE EXPECTANCY


Sex	Clay County	Kentucky	National	National rank	% change 1980-2014
Female	74.7	78.8	81.5	3129	-2.8
Male	69.3	73.7	76.7	3093	+0.2

life expectancy at birth (years), 2014

 72
 74
 76
 78
 80
 82
 84
 86
 88

Fig. 1: Female life expectancy, 2014

Fig. 2: Male life expectancy, 2014



FINDINGS: ALL-CAUSE MORTALITY

Sex	Clay County	Kentucky	National	National rank	% change 1980-2014
Female	1091.3	827.2	667.8	3126	+32.4
Male	1510.4	1168.6	930.1	3107	+7.3

rate per 100,000 population, age-standardized, 2014

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014



FINDINGS: ISCHEMIC HEART DISEASE

Sex	Clay County	Kentucky	National	National rank	% change 1980-2014
Female	243.9	149.9	124.9	3090	+0.8
Male	344.6	235.3	191.5	3082	-15.5

rate per 100,000 population, age-standardized, 2014





Fig. 6: Male ischemic heart disease, 2014



FINDINGS: CEREBROVASCULAR DISEASE (STROKE)


Sex	Clay County	Kentucky	National	National rank	% change 1980-2014
Female	61.1	55.3	47.4	2499	-20.2
Male	64.0	55.4	48.8	2629	-30.7

rate per 100,000 population, age-standardized, 2014

20 30 40 50 60 70 80 90 100 110 120 130

Fig. 7: Female cerebrovascular disease (stroke), 2014

Fig. 8: Male cerebrovascular disease (stroke), 2014




FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

Sex	Clay County	Kentucky	National	National rank	% change 1980-2014
Female	88.9	67.8	43.8	3119	+154.2
Male	165.2	113.1	67.6	3130	+29.3

rate per 100,000 population, age-standardized, 2014

Fig. 9: Female tracheal, bronchus, and lung cancer, 2014

Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



FINDINGS: BREAST CANCER

Sex	Clay County	Kentucky	National	National rank	% change 1980-2014
Female	35.6	27.6	25.9	3063	+14.5
Male	0.3	0.3	0.3	1949	-4.2

rate per 100,000 population, age-standardized, 2014




Fig. 11: Female breast cancer, 2014





Fig. 12: Male breast cancer, 2014


FINDINGS: MALIGNANT SKIN MELANOMA

Sex	Clay County	Kentucky	National	National rank	% change 1980-2014
Female	2.5	2.3	1.9	2710	+12.1
Male	5.1	5.6	4.5	1830	+55.2

rate per 100,000 population, age-standardized, 2014

Fig. 13: Female malignant skin melanoma, 2014





FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

Sex	Clay County	Kentucky	National	National rank	% change 1980-2014
Female	79.2	62.9	49.6	2832	+65.6
Male	79.8	78.4	63.8	2337	+59.0

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014




FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

Sex	Clay County	Kentucky	National	National rank	% change 1980-2014
Female	12.0	10.3	9.0	2435	+11.8
Male	38.4	35.4	30.9	2242	-25.9

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014



FINDINGS: TRANSPORT INJURIES MORTALITY

Sex	Clay County	Kentucky	National	National rank	% change 1980-2014
Female	29.1	12.7	8.1	3107	+51.0
Male	61.7	29.1	19.8	3067	+9.3

rate per 100,000 population, age-standardized, 2014





Fig. 19: Female transport injuries mortality, 2014







Fig. 20: Male transport injuries mortality, 2014



FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

Sex	Clay County	Kentucky	National	National rank	% change 1980-2014
Female	28.7	15.0	8.2	3116	+2113.1
Male	43.6	29.1	18.7	3078	+815.8

rate per 100,000 population, age-standardized, 2014

Fig. 21: Female mental and substance use disorders mortality, 2014





Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

Sex	Clay County	Kentucky	National	National rank	% change 1980-2014
Female	15.7	13.2	11.8	2505	+78.9
Male	28.1	25.4	22.2	2402	+37.1

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality, 2014





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014



FINDINGS: HEAVY DRINKING

Sex	Clay County	Kentucky	National	National rank	% change 2005-2012
Female	1.3	4.6	6.7	10	+59.4
Male	6.6	10.0	9.9	152	+44.4

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012





Fig. 26: Male heavy drinking, 2012



Sex	Clay County	Kentucky	National	National rank	% change 2002-2012
Female	4.2	9.5	12.4	31	+148.1
Male	14.7	21.0	24.5	64	+72.8

prevalence (%), age-standardized, 2012





Fig. 27: Female binge drinking, 2012




FINDINGS: BINGE DRINKING


FINDINGS: SMOKING


Sex	Clay County	Kentucky	National	National rank	% change 1996-2012
Female	36.2	26.0	17.9	3139	+7.0
Male	37.2	28.8	22.2	3135	-2.7

prevalence (%), age-standardized, 2012

Fig. 29: Female smoking, 2012







FINDINGS: OBESITY

Sex	Clay County	Kentucky	National	National rank	% change 2001-2011
Female	47.9	39.3	36.1	2944	+25.0
Male	43.0	37.5	33.8	3050	+18.9

prevalence (%), age-standardized, 2011





Fig. 31: Female obesity, 2011



FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Clay County	Kentucky	National	National rank	% change 2001-2011
Female	34.9	45.8	52.6	3075	+63.2
Male	35.8	49.9	56.3	3136	+30.9

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011





Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Clay County, Kentucky. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

