COUNTY PROFILE: Cook County, Minnesota

US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).

FINDINGS: LIFE EXPECTANCY

% change 1980-2014	National rank	National	Minnesota	Cook County	Sex
+6.0	40	81.5	82.9	84.5	Female
+11.4	121	76.7	78.9	79.6	Male

life expectancy at birth (years), 2014

Fig. 1: Female life expectancy, 2014





Fig. 2: Male life expectancy, 2014



FINDINGS: ALL-CAUSE MORTALITY

Sex	Cook County	Minnesota	National	National rank	% change 1980-2014
Female	491.6	590.4	667.8	42	-34.1
Male	732.0	817.3	930.1	97	-44.8

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014



FINDINGS: ISCHEMIC HEART DISEASE

% change 1980-2014	National rank	National	Minnesota	Cook County	Sex
-61.6	69	124.9	75.5	71.1	Female
-73.8	37	191.5	130.7	107.5	Male

rate per 100,000 population, age-standardized, 2014

Fig. 5: Female ischemic heart disease, 2014




Fig. 6: Male ischemic heart disease, 2014

FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

% change 1980-2014	National rank	National	Minnesota	Cook County	Sex
-62.6	19	47.4	43.2	25.9	Female
-65.0	212	48.8	44.8	38.3	Male

Fig. 7: Female cerebrovascular disease (stroke), 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014



FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

% change 1980-2014	National rank	National	Minnesota	Cook County	Sex
+30.0	457	43.8	42.3	35.1	Female
-45.7	166	67.6	58.7	43.8	Male

rate per 100,000 population, age-standardized, 2014

Fig. 9: Female tracheal, bronchus, and lung cancer, 2014





Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



FINDINGS: BREAST CANCER

% change 1980-2014	National rank	National	Minnesota	Cook County	Sex
-47.6	24	25.9	23.0	17.9	Female
-32.2	97	0.3	0.3	0.2	Male

Fig. 11: Female breast cancer, 2014





Fig. 12: Male breast cancer, 2014




FINDINGS: MALIGNANT SKIN MELANOMA

% change 1980-2014	National rank	National	Minnesota	Cook County	Sex
-10.3	244	1.9	1.8	1.6	Female
+15.7	213	4.5	3.9	3.3	Male

rate per 100,000 population, age-standardized, 2014

Fig. 13: Female malignant skin melanoma, 2014






Fig. 14: Male malignant skin melanoma, 2014

FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

% change 1980-2014	National rank	National	Minnesota	Cook County	Sex
+10.8	515	49.6	42.6	41.4	Female
+4.1	334	63.8	57.9	49.1	Male

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

% change 1980-2014	National rank	National	Minnesota	Cook County	Sex
+11.9	439	9.0	7.3	6.7	Female
-19.2	672	30.9	23.3	25.6	Male

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014





Fig. 18: Male self-harm and interpersonal violence mortality, 2014



FINDINGS: TRANSPORT INJURIES MORTALITY

% change 1980-2014	National rank	National	Minnesota	Cook County	Sex
-50.0	552	8.1	7.0	8.6	Female
-39.5	1511	19.8	15.2	30.1	Male

rate per 100,000 population, age-standardized, 2014

Fig. 19: Female transport injuries mortality, 2014





Fig. 20: Male transport injuries mortality, 2014



http://www.healthdata.org Cook County, Minnesota | page 5

FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

% change 1980-2014	National rank	National	Minnesota	Cook County	Sex
+385.7	778	8.2	6.2	5.6	Female
+53.8	2038	18.7	13.7	18.5	Male

rate per 100,000 population, age-standardized, 2014

Fig. 21: Female mental and substance use disorders mortality, 2014




Fig. 22: Male mental and substance use disorders mortality, 2014

FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

% change 1980-2014	National rank	National	Minnesota	Cook County	Sex
-14.5	525	11.8	9.6	9.4	Female
-29.0	528	22.2	15.6	15.8	Male

20

Fig. 23: Female cirrhosis and other chronic liver diseases mortality, 2014





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014



FINDINGS: HEAVY DRINKING

Sex	Cook County	Minnesota	National	National rank	% change 2005-2012
Female	5.7	8.4	6.7	1788	+20.9
Male	14.0	11.6	9.9	2790	+32.8

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012

2 4 6 8 10 12 14 16 18 20 22




Fig. 26: Male heavy drinking, 2012

FINDINGS: BINGE DRINKING

% change 2002-2012	National rank	National	Minnesota	Cook County	Sex
-1.1	2061	12.4	17.3	13.0	Female
+2.3	2619	24.5	30.2	30.8	Male

prevalence (%), age-standardized, 2012

Fig. 27: Female binge drinking, 2012





Fig. 28: Male binge drinking, 2012



FINDINGS: SMOKING

Sex	Cook County	Minnesota	National	National rank	% change 1996-2012
Female	16.8	17.5	17.9	365	-25.5
Male	18.5	21.0	22.2	154	-26.3

prevalence (%), age-standardized, 2012

Fig. 29: Female smoking, 2012




Fig. 30: Male smoking, 2012

FINDINGS: OBESITY

% change 2001-2011	National rank	National	Minnesota	Cook County	Sex
+35.1	435	36.1	33.3	34.0	Female
+31.7	492	33.8	33.4	34.1	Male

prevalence (%), age-standardized, 2011

Fig. 31: Female obesity, 2011





Fig. 32: Male obesity, 2011



FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

% change 2001-2011	National rank	National	Minnesota	Cook County	Sex
+5.3	304	52.6	56.8	58.6	Female
+0.0	327	56.3	59.8	60.5	Male

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011





Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Cook County, Minnesota. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA

Telephone: +1-206-897-2800 E-mail: engage@healthdata.org

www.healthdata.org

