
US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).


FINDINGS: LIFE EXPECTANCY

Sex	Copiah County	Mississippi	National	National rank	% change 1980-2014
Female	77.9	77.9	81.5	2685	+3.6
Male	71.1	71.9	76.7	2942	+6.1



life expectancy at birth (years), 2014

Fig. 2: Male life expectancy, 2014



FINDINGS: ALL-CAUSE MORTALITY


Sex	Copiah County	Mississippi	National	National rank	% change 1980-2014
Female	834.6	854.6	667.8	2451	-11.2
Male	1286.0	1262.5	930.1	2819	-18.8

rate per 100,000 population, age-standardized, 2014

300 400 500 600 700 800 900 1k 1.1k 1.2k 1.3k

Fig. 3: Female all-cause mortality, 2014

Fig. 4: Male all-cause mortality, 2014



FINDINGS: ISCHEMIC HEART DISEASE

Sex	Copiah County	Mississippi	National	National rank	% change 1980-2014
Female	189.8	174.7	124.9	2790	-34.3
Male	280.5	263.6	191.5	2757	-44.6

rate per 100,000 population, age-standardized, 2014





Fig. 6: Male ischemic heart disease, 2014



FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

Sex	Copiah County	Mississippi	National	National rank	% change 1980-2014
Female	51.9	56.9	47.4	1632	-53.2
Male	62.0	65.5	48.8	2504	-51.9

rate per 100,000 population, age-standardized, 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014



FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

Sex	Copiah County	Mississippi	National	National rank	% change 1980-2014
Female	40.1	51.6	43.8	834	+36.1
Male	113.2	105.7	67.6	2785	-14.1

rate per 100,000 population, age-standardized, 2014





Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



FINDINGS: BREAST CANCER

Sex	Copiah County	Mississippi	National	National rank	% change 1980-2014
Female	32.1	31.0	25.9	2897	+1.2
Male	0.5	0.4	0.3	3027	-5.2

rate per 100,000 population, age-standardized, 2014




Fig. 11: Female breast cancer, 2014





Fig. 12: Male breast cancer, 2014

FINDINGS: MALIGNANT SKIN MELANOMA

Sex	Copiah County	Mississippi	National	National rank	% change 1980-2014
Female	1.4	1.6	1.9	131	-11.2
Male	3.6	4.2	4.5	345	+36.4

rate per 100,000 population, age-standardized, 2014



Tig. 14. male manginan skin melanoma, 2014

FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

Sex	Copiah County	Mississippi	National	National rank	% change 1980-2014
Female	71.0	71.3	49.6	2579	+13.8
Male	90.3	86.4	63.8	2748	+28.5

þ

å

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014




Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014






Fig. 14: Male malignant skin melanoma, 2014

FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

Sex	Copiah County	Mississippi	National	National rank	% change 1980-2014
Female	11.8	11.8	9.0	2374	-21.4
Male	43.7	44.1	30.9	2652	-14.0

rate per 100,000 population, age-standardized, 2014







FINDINGS: TRANSPORT INJURIES MORTALITY

Sex	Copiah County	Mississippi	National	National rank	% change 1980-2014
Female	22.4	17.7	8.1	2908	+6.8
Male	51.3	42.6	19.8	2898	-21.3

rate per 100,000 population, age-standardized, 2014









Fig. 18: Male self-harm and interpersonal violence mortality, 2014



FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

Sex	Copiah County	Mississippi	National	National rank	% change 1980-2014
Female	6.8	8.2	8.2	1233	+281.4
Male	14.5	16.9	18.7	1403	+99.5

rate per 100,000 population, age-standardized, 2014







Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

Sex	Copiah County	Mississippi	National	National rank	% change 1980-2014
Female	13.9	14.0	11.8	2066	+2.7
Male	25.7	27.5	22.2	2122	+16.1

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality,





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014





FINDINGS: HEAVY DRINKING

Sex	Copiah County	Mississippi	National	National rank	% change 2005-2012
Female	2.1	3.8	6.7	199	-18.4
Male	8.1	8.8	9.9	626	-2.9

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012





FINDINGS: BINGE DRINKING

Sex	Copiah County	Mississippi	National	National rank	% change 2002-2012
Female	5.2	7.5	12.4	169	+16.1
Male	17.4	20.0	24.5	311	-6.8

prevalence (%), age-standardized, 2012




Fig. 28: Male binge drinking, 2012




Fig. 26: Male heavy drinking, 2012

FINDINGS: SMOKING

Sex	Copiah County	Mississippi	National	National rank	% change 1996-2012
Female	23.9	21.1	17.9	2208	+6.1
Male	30.5	28.4	22.2	2773	-4.7

Fig. 29: Female smoking, 2012

prevalence (%), age-standardized, 2012

Fig. 30: Male smoking, 2012

FINDINGS: OBESITY

Sex	Copiah County	Mississippi	National	National rank	% change 2001-2011
Female	49.1	44.5	36.1	2994	+18.0
Male	39.2	39.1	33.8	2339	+12.9

prevalence (%), age-standardized, 2011






Fig. 31: Female obesity, 2011





FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Copiah County	Mississippi	National	National rank	% change 2001-2011
Female	38.0	39.7	52.6	2952	+6.8
Male	44.0	47.2	56.3	2916	-3.0

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011





Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Copiah County, Mississippi. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

