
US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).


FINDINGS: LIFE EXPECTANCY

| Sex | Crawford County | Arkansas | National | National rank | % change 1980-2014 |
|--------|------------------------|----------|----------|---------------|--------------------|
| Female | 78.7 | 78.9 | 81.5 | 2370 | +1.5 |
| Male | 73.3 | 73.5 | 76.7 | 2432 | +6.3 |



life expectancy at birth (years), 2014

Fig. 2: Male life expectancy, 2014



FINDINGS: ALL-CAUSE MORTALITY

| Sex | Crawford County | Arkansas | National | National rank | % change 1980-2014 |
|--------|------------------------|----------|----------|---------------|--------------------|
| Female | 846.0 | 811.6 | 667.8 | 2510 | -0.8 |
| Male | 1203.9 | 1150.3 | 930.1 | 2547 | -22.2 |

rate per 100,000 population, age-standardized, 2014

Fig. 3: Female all-cause mortality, 2014






Fig. 4: Male all-cause mortality, 2014




FINDINGS: ISCHEMIC HEART DISEASE

| Sex | Crawford County | Arkansas | National | National rank | % change 1980-2014 |
|--------|------------------------|----------|----------|---------------|--------------------|
| Female | 204.2 | 163.2 | 124.9 | 2936 | -32.5 |
| Male | 298.7 | 252.2 | 191.5 | 2902 | -46.8 |

rate per 100,000 population, age-standardized, 2014





FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

| Sex | Crawford County | Arkansas | National | National rank | % change 1980-2014 |
|--------|------------------------|----------|----------|---------------|--------------------|
| Female | 47.9 | 62.0 | 47.4 | 1144 | -47.3 |
| Male | 49.9 | 62.4 | 48.8 | 1349 | -57.9 |

rate per 100,000 population, age-standardized, 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014



FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

| Sex | Crawford County | Arkansas | National | National rank | % change 1980-2014 |
|--------|------------------------|----------|----------|---------------|--------------------|
| Female | 57.8 | 53.2 | 43.8 | 2508 | +66.7 |
| Male | 102.5 | 97.4 | 67.6 | 2516 | -28.8 |

rate per 100,000 population, age-standardized, 2014





Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



FINDINGS: BREAST CANCER

| Sex | Crawford County | Arkansas | National | National rank | % change 1980-2014 |
|--------|------------------------|----------|----------|---------------|--------------------|
| Female | 28.0 | 27.6 | 25.9 | 2244 | -7.7 |
| Male | 0.3 | 0.3 | 0.3 | 2079 | -9.0 |

rate per 100,000 population, age-standardized, 2014





Fig. 12: Male breast cancer, 2014



FINDINGS: MALIGNANT SKIN MELANOMA

| Sex | Crawford County | Arkansas | National | National rank | % change 1980-2014 |
|--------|------------------------|----------|----------|---------------|--------------------|
| Female | 2.1 | 1.9 | 1.9 | 1521 | -12.1 |
| Male | 6.2 | 4.7 | 4.5 | 2861 | +39.7 |

rate per 100,000 population, age-standardized, 2014




Fig. 14: Male malignant skin melanoma, 2014

FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

| Sex | Crawford County | Arkansas | National | National rank | % change 1980-2014 |
|--------|------------------------|----------|----------|---------------|--------------------|
| Female | 46.5 | 60.9 | 49.6 | 859 | +10.2 |
| Male | 70.8 | 73.7 | 63.8 | 1804 | +34.2 |

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014




FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

| Sex | Crawford County | Arkansas | National | National rank | % change 1980-2014 |
|--------|------------------------|----------|----------|---------------|--------------------|
| Female | 12.9 | 13.3 | 9.0 | 2611 | +23.1 |
| Male | 41.3 | 42.6 | 30.9 | 2489 | +15.6 |

rate per 100,000 population, age-standardized, 2014


Fig. 17: Female self-harm and interpersonal violence mortality, 2014



FINDINGS: TRANSPORT INJURIES MORTALITY

| Sex | Crawford County | Arkansas | National | National rank | % change 1980-2014 |
|--------|------------------------|----------|----------|---------------|--------------------|
| Female | 9.4 | 14.5 | 8.1 | 697 | -41.1 |
| Male | 27.5 | 33.6 | 19.8 | 1233 | -45.2 |

rate per 100,000 population, age-standardized, 2014










Fig. 18: Male self-harm and interpersonal violence mortality, 2014



FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

| Sex | Crawford County | Arkansas | National | National rank | % change 1980-2014 |
|--------|------------------------|----------|----------|---------------|--------------------|
| Female | 10.6 | 7.1 | 8.2 | 2286 | +1237.4 |
| Male | 19.5 | 15.1 | 18.7 | 2161 | +673.4 |

rate per 100,000 population, age-standardized, 2014



25

з'n

35


10

5

15

20

Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

40

| Sex | Crawford County | Arkansas | National | National rank | % change 1980-2014 |
|--------|------------------------|----------|----------|---------------|--------------------|
| Female | 15.7 | 13.8 | 11.8 | 2503 | +87.3 |
| Male | 25.6 | 24.5 | 22.2 | 2099 | +40.6 |

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality,





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014



FINDINGS: HEAVY DRINKING

| Sex | Crawford County | Arkansas | National | National rank | % change 2005-2012 |
|--------|------------------------|----------|----------|---------------|--------------------|
| Female | 4.2 | 5.1 | 6.7 | 1099 | +58.0 |
| Male | 8.1 | 8.8 | 9.9 | 608 | +10.9 |

Fig. 25: Female heavy drinking, 2012

prevalence (%), age-standardized, 2012

Fig. 26: Male heavy drinking, 2012

FINDINGS: BINGE DRINKING

| Sex | Crawford County | Arkansas | National | National rank | % change 2002-2012 |
|--------|------------------------|----------|----------|---------------|--------------------|
| Female | 8.0 | 9.0 | 12.4 | 833 | +15.4 |
| Male | 18.8 | 20.4 | 24.5 | 509 | -5.8 |

prevalence (%), age-standardized, 2012




Fig. 27: Female binge drinking, 2012





Fig. 28: Male binge drinking, 2012

FINDINGS: SMOKING

| Sex | Crawford County | Arkansas | National | National rank | % change 1996-2012 |
|--------|------------------------|----------|----------|---------------|--------------------|
| Female | 29.3 | 23.6 | 17.9 | 3011 | +2.0 |
| Male | 29.1 | 27.6 | 22.2 | 2446 | -13.1 |

10 15 20 25 зо 35 40

prevalence (%), age-standardized, 2012



FINDINGS: OBESITY

| Sex | Crawford County | Arkansas | National | National rank | % change 2001-2011 |
|--------|------------------------|----------|----------|---------------|--------------------|
| Female | 38.5 | 39.3 | 36.1 | 1557 | +21.9 |
| Male | 37.4 | 37.2 | 33.8 | 1587 | +36.0 |

prevalence (%), age-standardized, 2011






Fig. 32: Male obesity, 2011





FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

| Sex | Crawford County | Arkansas | National | National rank | % change 2001-2011 |
|--------|------------------------|----------|----------|---------------|--------------------|
| Female | 46.1 | 45.2 | 52.6 | 2189 | +12.3 |
| Male | 49.2 | 51.3 | 56.3 | 2341 | -1.2 |

prevalence (%), age-standardized, 2011





Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Crawford County, Arkansas. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

