
US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).


FINDINGS: LIFE EXPECTANCY

Sex	Faribault County	Minnesota	National	National rank	% change 1980-2014
Female	83.2	82.9	81.5	231	+3.7
Male	78.0	78.9	76.7	485	+7.3



life expectancy at birth (years), 2014

Fig. 2: Male life expectancy, 2014



FINDINGS: ALL-CAUSE MORTALITY

Sex	Faribault County	Minnesota	National	National rank	% change 1980-2014
Female	578.9	590.4	667.8	294	-19.2
Male	863.8	817.3	930.1	568	-31.5

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014




FINDINGS: ISCHEMIC HEART DISEASE

Sex	Faribault County	Minnesota	National	National rank	% change 1980-2014
Female	101.8	75.5	124.9	609	-48.1
Male	186.8	130.7	191.5	1069	-56.9

rate per 100,000 population, age-standardized, 2014


Fig. 5: Female ischemic heart disease, 2014 50 100 150 200 250 зо́о 350



FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

Sex	Faribault County	Minnesota	National	National rank	% change 1980-2014
Female	42.3	43.2	47.4	557	-43.8
Male	39.8	44.8	48.8	308	-55.0

rate per 100,000 population, age-standardized, 2014






Fig. 8: Male cerebrovascular disease (stroke), 2014

FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

Sex	Faribault County	Minnesota	National	National rank	% change 1980-2014
Female	36.0	42.3	43.8	512	+111.3
Male	60.2	58.7	67.6	745	-21.2

rate per 100,000 population, age-standardized, 2014

Fig. 9: Female tracheal, bronchus, and lung cancer, 2014




Fig. 10: Male tracheal, bronchus, and lung cancer, 2014

FINDINGS: BREAST CANCER

Sex	Faribault County	Minnesota	National	National rank	% change 1980-2014
Female	22.9	23.0	25.9	595	-32.2
Male	0.3	0.3	0.3	355	-20.7




Fig. 11: Female breast cancer, 2014






Fig. 12: Male breast cancer, 2014

FINDINGS: MALIGNANT SKIN MELANOMA

Sex	Faribault County	Minnesota	National	National rank	% change 1980-2014
Female	1.8	1.8	1.9	718	+8.7
Male	3.8	3.9	4.5	474	+29.4

rate per 100,000 population, age-standardized, 2014





FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

Sex	Faribault County	Minnesota	National	National rank	% change 1980-2014
Female	45.0	42.6	49.6	746	+84.0
Male	75.8	57.9	63.8	2108	+105.0

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014






Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

Sex	Faribault County	Minnesota	National	National rank	% change 1980-2014
Female	4.8	7.3	9.0	35	+1.0
Male	22.9	23.3	30.9	393	+8.7

rate per 100,000 population, age-standardized, 2014








Fig. 18: Male self-harm and interpersonal violence mortality, 2014




FINDINGS: TRANSPORT INJURIES MORTALITY

Sex	Faribault County	Minnesota	National	National rank	% change 1980-2014
Female	8.5	7.0	8.1	542	-36.8
Male	28.2	15.2	19.8	1317	-30.2







FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

Sex	Faribault County	Minnesota	National	National rank	% change 1980-2014
Female	2.5	6.2	8.2	30	+138.3
Male	6.8	13.7	18.7	125	+102.6

rate per 100,000 population, age-standardized, 2014







Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

Sex	Faribault County	Minnesota	National	National rank	% change 1980-2014
Female	9.3	9.6	11.8	515	+10.9
Male	16.2	15.6	22.2	601	+2.3

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality,






Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014



FINDINGS: HEAVY DRINKING

Sex	Faribault County	Minnesota	National	National rank	% change 2005-2012
Female	7.6	8.4	6.7	2470	+51.3
Male	14.3	11.6	9.9	2826	+33.0

prevalence (%), age-standardized, 2012



FINDINGS: BINGE DRINKING

Sex	Faribault County	Minnesota	National	National rank	% change 2002-2012
Female	18.3	17.3	12.4	2916	+28.4
Male	36.3	30.2	24.5	3003	+6.1

prevalence (%), age-standardized, 2012





Fig. 28: Male binge drinking, 2012






FINDINGS: SMOKING

Sex	Faribault County	Minnesota	National	National rank	% change 1996-2012
Female	21.3	17.5	17.9	1415	+0.5
Male	23.6	21.0	22.2	1020	-15.4

Fig. 29: Female smoking, 2012 0 10 15 20 25 зо 35 40

prevalence (%), age-standardized, 2012



FINDINGS: OBESITY

Sex	Faribault County	Minnesota	National	National rank	% change 2001-2011
Female	36.2	33.3	36.1	946	+22.9
Male	36.7	33.4	33.8	1248	+31.4

prevalence (%), age-standardized, 2011






Fig. 32: Male obesity, 2011








FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Faribault County	Minnesota	National	National rank	% change 2001-2011
Female	53.6	56.8	52.6	962	+5.5
Male	55.3	59.8	56.3	1189	-0.8

prevalence (%), age-standardized, 2011







CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Faribault County, Minnesota. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

