COUNTY PROFILE: Fisher County, Texas

US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.


Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).


FINDINGS: LIFE EXPECTANCY

% change 1980-2014	National rank	National	Texas	Fisher County	Sex
+1.7	1631	81.5	80.8	80.2	Female
+7.0	1729	76.7	76.2	75.3	Male

life expectancy at birth (years), 2014

Fig. 1: Female life expectancy, 2014





FINDINGS: ALL-CAUSE MORTALITY

% change 1980-2014	National rank	National	Texas	Fisher County	Sex
-1.6	1889	667.8	694.2	763.3	Female
-25.2	1905	930.1	954.8	1062.7	Male

rate per 100,000 population, age-standardized, 2014

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014





FINDINGS: ISCHEMIC HEART DISEASE

% change 1980-2014	National rank	National	Texas	Fisher County	Sex
-29.2	2423	124.9	127.2	166.7	Female
-48.6	2447	191.5	197.7	253.7	Male

rate per 100,000 population, age-standardized, 2014

Fig. 5: Female ischemic heart disease, 2014





FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

% change 1980-2014	National rank	National	Texas	Fisher County	Sex
-29.7	1989	47.4	52.0	55.2	Female
-54.8	1378	48.8	54.0	50.2	Male

rate per 100,000 population, age-standardized, 2014

Fig. 7: Female cerebrovascular disease (stroke), 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014



FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

Sex	Fisher County	Texas	National	National rank	% change 1980-2014
Female	39.0	38.4	43.8	737	+46.9
Male	77.5	62.9	67.6	1590	-28.0

rate per 100,000 population, age-standardized, 2014

Fig. 9: Female tracheal, bronchus, and lung cancer, 2014





Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



FINDINGS: BREAST CANCER

% change 1980-2014	National rank	National	Texas	Fisher County	Sex
-7.8	1848	25.9	25.6	26.7	Female
-14.6	567	0.3	0.3	0.3	Male

rate per 100,000 population, age-standardized, 2014

Fig. 11: Female breast cancer, 2014





Fig. 12: Male breast cancer, 2014





FINDINGS: MALIGNANT SKIN MELANOMA

% change 1980-2014	National rank	National	Texas	Fisher County	Sex
+1.2	2841	1.9	1.6	2.6	Female
+37.5	2679	4.5	4.0	5.9	Male

rate per 100,000 population, age-standardized, 2014

Fig. 13: Female malignant skin melanoma, 2014





FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

% change 1980-2014	National rank	National	Texas	Fisher County	Sex
+33.0	963	49.6	55.9	47.7	Female
+26.9	950	63.8	66.9	59.3	Male

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014




FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

% change 1980-2014	National rank	National	Texas	Fisher County	Sex
-14.2	1132	9.0	8.4	8.5	Female
-24.8	890	30.9	28.8	27.4	Male

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014



- Language Comments

Fig. 18: Male self-harm and interpersonal violence mortality, 2014

20 40 60 80 100 120 140 160 180

FINDINGS: TRANSPORT INJURIES MORTALITY

% change 1980-2014	National rank	National	Texas	Fisher County	Sex
+2.7	2736	8.1	9.5	20.4	Female
-30.3	2267	19.8	24.3	38.6	Male

rate per 100,000 population, age-standardized, 2014

Fig. 19: Female transport injuries mortality, 2014





Fig. 20: Male transport injuries mortality, 2014



FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

% change 1980-2014	National rank	National	Texas	Fisher County	Sex
+424.7	973	8.2	6.4	6.1	Female
+108.2	256	18.7	13.9	7.8	Male

rate per 100,000 population, age-standardized, 2014

Fig. 21: Female mental and substance use disorders mortality, 2014





Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

% change 1980-2014	National rank	National	Texas	Fisher County	Sex
+105.2	2659	11.8	14.5	16.7	Female
+73.5	2956	22.2	27.7	37.8	Male

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality, 2014





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014





FINDINGS: HEAVY DRINKING

% change 2005-2012	National rank	National	Texas	Fisher County	Sex
+44.0	173	6.7	5.3	2.0	Female
+0.4	101	9.9	9.5	6.2	Male

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012





FINDINGS: BINGE DRINKING

% change 2002-2012	National rank	National	Texas	Fisher County	Sex
+6.0	247	12.4	10.8	5.6	Female
-0.5	836	24.5	24.5	20.4	Male

prevalence (%), age-standardized, 2012

Fig. 27: Female binge drinking, 2012





Fig. 28: Male binge drinking, 2012





FINDINGS: SMOKING

Sex	Fisher County	Texas	National	National rank	% change 1996-2012
Female	18.9	15.1	17.9	734	-7.9
Male	22.2	22.1	22.2	616	-18.0

prevalence (%), age-standardized, 2012

Fig. 29: Female smoking, 2012





FINDINGS: OBESITY

% change 2001-2011	National rank	National	Texas	Fisher County	Sex
+17.0	1158	36.1	38.9	37.0	Female
+28.8	974	33.8	36.0	36.0	Male

prevalence (%), age-standardized, 2011

Fig. 31: Female obesity, 2011





Fig. 32: Male obesity, 2011



FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Fisher County	Texas	National	National rank	% change 2001-2011
Female	50.3	49.5	52.6	1560	+17.3
Male	54.0	54.1	56.3	1458	+11.3

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011




Fig. 34: Male recommended physical activity, 2011

CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Fisher County, Texas. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA

Telephone: +1-206-897-2800 E-mail: engage@healthdata.org

www.healthdata.org

