## US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).

# FINDINGS: LIFE EXPECTANCY


| Sex    | Giles County | Tennessee | National | National rank | % change 1980-2014 |
|--------|--------------|-----------|----------|---------------|--------------------|
| Female | 79.1         | 78.9      | 81.5     | 2224          | +2.0               |
| Male   | 72.5         | 73.7      | 76.7     | 2659          | +4.2               |

 72
 74
 76
 78
 80
 62
 84
 86
 88

Fig. 1: Female life expectancy, 2014

life expectancy at birth (years), 2014

Fig. 2: Male life expectancy, 2014




# FINDINGS: ALL-CAUSE MORTALITY

| Sex    | Giles County | Tennessee | National | National rank | % change 1980-2014 |
|--------|--------------|-----------|----------|---------------|--------------------|
| Female | 823.9        | 811.8     | 667.8    | 2373          | -3.7               |
| Male   | 1281.1       | 1148.8    | 930.1    | 2795          | -12.8              |

300 400 500 600 700 800 900 1k 1.1k 1.2k 1.3k

Fig. 3: Female all-cause mortality, 2014


Fig. 4: Male all-cause mortality, 2014




## FINDINGS: ISCHEMIC HEART DISEASE

| Sex    | <b>Giles County</b> | Tennessee | National | National rank | % change 1980-2014 |
|--------|---------------------|-----------|----------|---------------|--------------------|
| Female | 188.7               | 151.3     | 124.9    | 2783          | -28.3              |
| Male   | 317.6               | 241.0     | 191.5    | 2995          | -32.5              |


rate per 100,000 population, age-standardized, 2014





### FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

| Sex    | Giles County | Tennessee | National | National rank | % change 1980-2014 |
|--------|--------------|-----------|----------|---------------|--------------------|
| Female | 64.6         | 58.3      | 47.4     | 2693          | -38.7              |
| Male   | 76.7         | 62.0      | 48.8     | 3013          | -40.0              |








Fig. 6: Male ischemic heart disease, 2014

# FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

| Sex    | Giles County | Tennessee | National | National rank | % change 1980-2014 |
|--------|--------------|-----------|----------|---------------|--------------------|
| Female | 53.1         | 54.7      | 43.8     | 2143          | +94.8              |
| Male   | 107.9        | 98.5      | 67.6     | 2665          | -11.2              |

rate per 100,000 population, age-standardized, 2014






Fig. 10: Male tracheal, bronchus, and lung cancer, 2014




### FINDINGS: BREAST CANCER

| Sex    | <b>Giles County</b> | Tennessee | National | National rank | % change 1980-2014 |
|--------|---------------------|-----------|----------|---------------|--------------------|
| Female | 25.5                | 27.9      | 25.9     | 1469          | -19.5              |
| Male   | 0.4                 | 0.4       | 0.3      | 2280          | -4.9               |







### FINDINGS: MALIGNANT SKIN MELANOMA

| Sex    | <b>Giles County</b> | Tennessee | National | National rank | % change 1980-2014 |
|--------|---------------------|-----------|----------|---------------|--------------------|
| Female | 2.4                 | 2.0       | 1.9      | 2402          | +7.9               |
| Male   | 5.7                 | 5.3       | 4.5      | 2496          | +63.0              |

rate per 100,000 population, age-standardized, 2014





Fig. 14: Male malignant skin melanoma, 2014



## FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

| Sex    | Giles County | Tennessee | National | National rank | % change 1980-2014 |
|--------|--------------|-----------|----------|---------------|--------------------|
| Female | 62.2         | 61.3      | 49.6     | 2072          | +16.5              |
| Male   | 71.2         | 74.2      | 63.8     | 1836          | +33.6              |

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014




### FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

| Sex    | Giles County | Tennessee | National | National rank | % change 1980-2014 |
|--------|--------------|-----------|----------|---------------|--------------------|
| Female | 11.9         | 11.6      | 9.0      | 2401          | +3.3               |
| Male   | 43.1         | 38.9      | 30.9     | 2618          | -3.2               |

rate per 100,000 population, age-standardized, 2014

#### Fig. 17: Female self-harm and interpersonal violence mortality, 2014



FINDINGS: TRANSPORT INJURIES MORTALITY

| Sex    | Giles County | Tennessee | National | National rank | % change 1980-2014 |
|--------|--------------|-----------|----------|---------------|--------------------|
| Female | 19.9         | 12.1      | 8.1      | 2669          | -5.3               |
| Male   | 43.6         | 28.8      | 19.8     | 2583          | -24.8              |




Fig. 19: Female transport injuries mortality, 2014







Fig. 20: Male transport injuries mortality, 2014



### FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

| Sex    | <b>Giles County</b> | Tennessee | National | National rank | % change 1980-2014 |
|--------|---------------------|-----------|----------|---------------|--------------------|
| Female | 12.0                | 12.4      | 8.2      | 2508          | +751.2             |
| Male   | 22.1                | 22.9      | 18.7     | 2424          | +363.8             |

rate per 100,000 population, age-standardized, 2014







Fig. 22: Male mental and substance use disorders mortality, 2014




### FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY


| Sex    | <b>Giles County</b> | Tennessee | National | National rank | % change 1980-2014 |
|--------|---------------------|-----------|----------|---------------|--------------------|
| Female | 12.9                | 13.5      | 11.8     | 1745          | +54.5              |
| Male   | 27.6                | 26.7      | 22.2     | 2341          | +28.8              |

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality,



#### Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014





## FINDINGS: HEAVY DRINKING


| Sex    | <b>Giles County</b> | Tennessee | National | National rank | % change 2005-2012 |
|--------|---------------------|-----------|----------|---------------|--------------------|
| Female | 3.0                 | 4.0       | 6.7      | 522           | +23.3              |
| Male   | 6.6                 | 7.0       | 9.9      | 143           | +10.1              |

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012







### FINDINGS: BINGE DRINKING

| Sex    | Giles County | Tennessee | National | National rank | % change 2002-2012 |
|--------|--------------|-----------|----------|---------------|--------------------|
| Female | 7.0          | 7.9       | 12.4     | 582           | +54.1              |
| Male   | 15.9         | 17.4      | 24.5     | 151           | -1.1               |

prevalence (%), age-standardized, 2012





Fig. 27: Female binge drinking, 2012



Fig. 28: Male binge drinking, 2012




### FINDINGS: SMOKING

| Sex    | <b>Giles County</b> | Tennessee | National | National rank | % change 1996-2012 |
|--------|---------------------|-----------|----------|---------------|--------------------|
| Female | 24.8                | 22.1      | 17.9     | 2437          | -9.1               |
| Male   | 29.0                | 25.9      | 22.2     | 2438          | -14.5              |

prevalence (%), age-standardized, 2012

Fig. 29: Female smoking, 2012



## FINDINGS: OBESITY

| Sex    | <b>Giles County</b> | Tennessee | National | National rank | % change 2001-2011 |
|--------|---------------------|-----------|----------|---------------|--------------------|
| Female | 42.6                | 39.9      | 36.1     | 2465          | +27.5              |
| Male   | 40.8                | 36.1      | 33.8     | 2761          | +32.3              |

prevalence (%), age-standardized, 2011





Fig. 32: Male obesity, 2011



### FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

| Sex    | <b>Giles County</b> | Tennessee | National | National rank | % change 2001-2011 |
|--------|---------------------|-----------|----------|---------------|--------------------|
| Female | 36.2                | 39.9      | 52.6     | 3041          | -2.7               |
| Male   | 46.8                | 46.7      | 56.3     | 2668          | -3.5               |

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011





Fig. 34: Male recommended physical activity, 2011



### **CITATION:**

Institute for Health Metrics and Evaluation (IHME), US County Profile: Giles County, Tennessee. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

