
## US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).


## FINDINGS: LIFE EXPECTANCY

| Sex    | Gray County | Kansas | National | National rank | % change 1980-2014 |
|--------|-------------|--------|----------|---------------|--------------------|
| Female | 81.2        | 81.0   | 81.5     | 1053          | +1.2               |
| Male   | 77.4        | 76.5   | 76.7     | 723           | +8.6               |



life expectancy at birth (years), 2014

Fig. 2: Male life expectancy, 2014



## FINDINGS: ALL-CAUSE MORTALITY

| Sex    | Gray County | Kansas | National | National rank | % change 1980-2014 |
|--------|-------------|--------|----------|---------------|--------------------|
| Female | 674.9       | 695.4  | 667.8    | 1044          | +0.4               |
| Male   | 851.7       | 963.7  | 930.1    | 492           | -34.8              |

Fig. 3: Female all-cause mortality, 2014






Fig. 4: Male all-cause mortality, 2014



# FINDINGS: ISCHEMIC HEART DISEASE

| Sex    | Gray County | Kansas | National | National rank | % change 1980-2014 |
|--------|-------------|--------|----------|---------------|--------------------|
| Female | 68.8        | 123.8  | 124.9    | 56            | -53.7              |
| Male   | 164.6       | 194.9  | 191.5    | 595           | -65.2              |

rate per 100,000 population, age-standardized, 2014



Tig. 0. wate ischeme neur disease, 2014

#### Fig. 6: Male ischemic heart disease, 2014

## FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

| Sex    | Gray County | Kansas | National | National rank | % change 1980-2014 |
|--------|-------------|--------|----------|---------------|--------------------|
| Female | 56.5        | 56.1   | 47.4     | 2118          | -22.3              |
| Male   | 47.3        | 54.1   | 48.8     | 1042          | -50.3              |

rate per 100,000 population, age-standardized, 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014



## FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

| Sex    | Gray County | Kansas | National | National rank | % change 1980-2014 |
|--------|-------------|--------|----------|---------------|--------------------|
| Female | 39.8        | 46.5   | 43.8     | 796           | +77.4              |
| Male   | 52.5        | 72.4   | 67.6     | 391           | -37.2              |

rate per 100,000 population, age-standardized, 2014







Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



#### FINDINGS: BREAST CANCER

| Sex    | <b>Gray County</b> | Kansas | National | National rank | % change 1980-2014 |
|--------|--------------------|--------|----------|---------------|--------------------|
| Female | 27.4               | 25.5   | 25.9     | 2067          | -10.7              |
| Male   | 0.3                | 0.3    | 0.3      | 545           | -23.1              |







## FINDINGS: MALIGNANT SKIN MELANOMA

| Sex    | Gray County | Kansas | National | National rank | % change 1980-2014 |
|--------|-------------|--------|----------|---------------|--------------------|
| Female | 2.4         | 2.2    | 1.9      | 2514          | +11.5              |
| Male   | 4.7         | 5.0    | 4.5      | 1334          | +10.1              |

rate per 100,000 population, age-standardized, 2014





## FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

| Sex    | Gray County | Kansas | National | National rank | % change 1980-2014 |
|--------|-------------|--------|----------|---------------|--------------------|
| Female | 43.1        | 50.6   | 49.6     | 627           | +40.8              |
| Male   | 54.1        | 63.6   | 63.8     | 601           | +19.0              |

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014




### FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

| Sex    | Gray County | Kansas | National | National rank | % change 1980-2014 |
|--------|-------------|--------|----------|---------------|--------------------|
| Female | 6.6         | 9.6    | 9.0      | 424           | +11.7              |
| Male   | 23.7        | 32.3   | 30.9     | 475           | -10.9              |


rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014



FINDINGS: TRANSPORT INJURIES MORTALITY

| Sex    | <b>Gray County</b> | Kansas | National | National rank | % change 1980-2014 |
|--------|--------------------|--------|----------|---------------|--------------------|
| Female | 22.7               | 10.3   | 8.1      | 2930          | +4.7               |
| Male   | 43.3               | 23.1   | 19.8     | 2560          | -24.6              |









Fig. 18: Male self-harm and interpersonal violence mortality, 2014



### FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

| Sex    | Gray County | Kansas | National | National rank | % change 1980-2014 |
|--------|-------------|--------|----------|---------------|--------------------|
| Female | 5.7         | 7.9    | 8.2      | 817           | +386.7             |
| Male   | 7.1         | 15.1   | 18.7     | 159           | +82.0              |

rate per 100,000 population, age-standardized, 2014

Fig. 21: Female mental and substance use disorders mortality, 2014





Fig. 22: Male mental and substance use disorders mortality, 2014




## FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY


| Sex    | Gray County | Kansas | National | National rank | % change 1980-2014 |
|--------|-------------|--------|----------|---------------|--------------------|
| Female | 12.4        | 12.1   | 11.8     | 1606          | +30.5              |
| Male   | 18.3        | 21.9   | 22.2     | 925           | -0.6               |

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality,



#### Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014



### FINDINGS: HEAVY DRINKING

| Sex    | Gray County | Kansas | National | National rank | % change 2005-2012 |
|--------|-------------|--------|----------|---------------|--------------------|
| Female | 3.9         | 5.5    | 6.7      | 929           | +51.2              |
| Male   | 9.7         | 9.8    | 9.9      | 1336          | +45.1              |

prevalence (%), age-standardized, 2012





Fig. 26: Male heavy drinking, 2012



## FINDINGS: BINGE DRINKING

| Sex    | Gray County | Kansas | National | National rank | % change 2002-2012 |
|--------|-------------|--------|----------|---------------|--------------------|
| Female | 8.5         | 11.8   | 12.4     | 977           | +14.7              |
| Male   | 23.2        | 24.6   | 24.5     | 1376          | +11.3              |

prevalence (%), age-standardized, 2012





Fig. 28: Male binge drinking, 2012





Male

## FINDINGS: SMOKING

| Sex    | Gray County | Kansas | National | National rank | % change 1996-2012 |
|--------|-------------|--------|----------|---------------|--------------------|
| Female | 19.2        | 19.3   | 17.9     | 810           | -5.5               |
| Male   | 22.7        | 22.9   | 22.2     | 735           | -17.4              |

prevalence (%), age-standardized, 2012





## FINDINGS: OBESITY

| Sex    | <b>Gray County</b> | Kansas | National | National rank | % change 2001-2011 |
|--------|--------------------|--------|----------|---------------|--------------------|
| Female | 41.2               | 37.3   | 36.1     | 2191          | +30.9              |
| Male   | 41.0               | 35.8   | 33.8     | 2811          | +42.5              |

prevalence (%), age-standardized, 2011





Fig. 32: Male obesity, 2011



### FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

| Sex    | Gray County | Kansas | National | National rank | % change 2001-2011 |
|--------|-------------|--------|----------|---------------|--------------------|
| Female | 47.4        | 50.5   | 52.6     | 2007          | +11.0              |
| Male   | 46.5        | 53.5   | 56.3     | 2704          | -0.7               |

prevalence (%), age-standardized, 2011





Fig. 34: Male recommended physical activity, 2011



#### **CITATION:**

Institute for Health Metrics and Evaluation (IHME), US County Profile: Gray County, Kansas. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

