COUNTY PROFILE: Hopkins County, Texas

US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).

FINDINGS: LIFE EXPECTANCY

% change 1980-2014	National rank	National	Texas	Hopkins County	Sex
+1.9	2042	81.5	80.8	79.4	Female
+8.3	2152	76.7	76.2	74.2	Male

life expectancy at birth (years), 2014

Fig. 1: Female life expectancy, 2014





Fig. 2: Male life expectancy, 2014



FINDINGS: ALL-CAUSE MORTALITY

% change 1980-2014	National rank	National	Texas	Hopkins County	Sex
-3.5	2202	667.8	694.2	800.1	Female
-29.3	2056	930.1	954.8	1088.9	Male

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014





FINDINGS: ISCHEMIC HEART DISEASE

% change 1980-2014	National rank	National	Texas	Hopkins County	Sex
-32.4	2409	124.9	127.2	165.8	Female
-46.9	2525	191.5	197.7	258.7	Male

rate per 100,000 population, age-standardized, 2014

Fig. 5: Female ischemic heart disease, 2014





FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

% change 1980-2014	National rank	National	Texas	Hopkins County	Sex
-54.7	2039	47.4	52.0	55.7	Female
-62.9	1557	48.8	54.0	51.8	Male

Fig. 7: Female cerebrovascular disease (stroke), 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014



FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

% change 1980-2014	National rank	National	Texas	Hopkins County	Sex
+74.4	2194	43.8	38.4	53.7	Female
-35.0	1918	67.6	62.9	84.9	Male

rate per 100,000 population, age-standardized, 2014

Fig. 9: Female tracheal, bronchus, and lung cancer, 2014




Fig. 10: Male tracheal, bronchus, and lung cancer, 2014

150

FINDINGS: BREAST CANCER

% change 1980-2014	National rank	National	Texas	Hopkins County	Sex
-13.5	1430	25.9	25.6	25.4	Female
-18.3	1564	0.3	0.3	0.3	Male

Fig. 11: Female breast cancer, 2014





Fig. 12: Male breast cancer, 2014





FINDINGS: MALIGNANT SKIN MELANOMA

% change 1980-2014	National rank	National	Texas	Hopkins County	Sex
-7.5	2860	1.9	1.6	2.6	Female
+27.5	2340	4.5	4.0	5.6	Male

rate per 100,000 population, age-standardized, 2014

Fig. 13: Female malignant skin melanoma, 2014





FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

% change 1980-2014	National rank	National	Texas	Hopkins County	Sex
+38.9	1776	49.6	55.9	57.8	Female
+4.2	1104	63.8	66.9	61.4	Male

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



http://www.healthdata.org Hopkins County, Texas | page 4

FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

% change 1980-2014	National rank	National	Texas	Hopkins County	Sex
-20.1	1072	9.0	8.4	8.4	Female
-33.3	1044	30.9	28.8	28.7	Male

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014





Fig. 18: Male self-harm and interpersonal violence mortality, 2014



FINDINGS: TRANSPORT INJURIES MORTALITY

% change 1980-2014	National rank	National	Texas	Hopkins County	Sex
-13.1	1989	8.1	9.5	15.4	Female
-24.0	2764	19.8	24.3	47.6	Male

rate per 100,000 population, age-standardized, 2014

Fig. 19: Female transport injuries mortality, 2014





Fig. 20: Male transport injuries mortality, 2014



http://www.healthdata.org Hopkins County, Texas | page 5

FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

% change 1980-2014	National rank	National	Texas	Hopkins County	Sex
+405.9	1423	8.2	6.4	7.4	Female
+148.1	1435	18.7	13.9	14.7	Male

rate per 100,000 population, age-standardized, 2014

Fig. 21: Female mental and substance use disorders mortality, 2014





Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

% change 1980-2014	National rank	National	Texas	Hopkins County	Sex
+42.8	1806	11.8	14.5	13.0	Female
+23.0	1920	22.2	27.7	24.5	Male

Fig. 23: Female cirrhosis and other chronic liver diseases mortality, 2014





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014





FINDINGS: HEAVY DRINKING

Sex	Hopkins County	Texas	National	National rank	% change 2005-2012
Female	3.6	5.3	6.7	779	+54.6
Male	9.4	9.5	9.9	1204	+22.0

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012





FINDINGS: BINGE DRINKING

% change 2002-2012	National rank	National	Texas	Hopkins County	Sex
+8.5	722	12.4	10.8	7.6	Female
+7.7	1146	24.5	24.5	22.0	Male

prevalence (%), age-standardized, 2012

Fig. 27: Female binge drinking, 2012





Fig. 28: Male binge drinking, 2012





FINDINGS: SMOKING

% change 1996-2012	National rank	National	Texas	Hopkins County	Sex
-12.6	1634	17.9	15.1	22.1	Female
-12.3	1552	22.2	22.1	25.3	Male

prevalence (%), age-standardized, 2012

Fig. 29: Female smoking, 2012





FINDINGS: OBESITY

% change 2001-2011	National rank	National	Texas	Hopkins County	Sex
+32.7	2393	36.1	38.9	42.2	Female
+41.4	2848	33.8	36.0	41.2	Male

prevalence (%), age-standardized, 2011

Fig. 31: Female obesity, 2011





Fig. 32: Male obesity, 2011



FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Hopkins County	Texas	National	National rank	% change 2001-2011
Female	46.1	49.5	52.6	2183	+10.9
Male	49.2	54.1	56.3	2340	-4.4

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011





Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Hopkins County, Texas. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA

Telephone: +1-206-897-2800 E-mail: engage@healthdata.org

www.healthdata.org

