# COUNTY PROFILE: Jay County, Indiana

#### US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).

#### FINDINGS: LIFE EXPECTANCY

% change 1980-2014	National rank	National	Indiana	<b>Jay County</b>	Sex
+3.4	1756	81.5	80.0	80.0	Female
+5.8	2034	76.7	75.3	74.6	Male

life expectancy at birth (years), 2014

Fig. 1: Female life expectancy, 2014





Fig. 2: Male life expectancy, 2014



## FINDINGS: ALL-CAUSE MORTALITY

% change 1980-2014	National rank	National	Indiana	Jay County	Sex
-13.5	1897	667.8	748.0	764.0	Female
-21.1	2282	930.1	1050.9	1135.8	Male

rate per 100,000 population, age-standardized, 2014

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014




#### FINDINGS: ISCHEMIC HEART DISEASE

% change 1980-2014	National rank	National	Indiana	Jay County	Sex
-51.6	1875	124.9	135.8	142.6	Female
-54.4	2300	191.5	213.3	243.5	Male

rate per 100,000 population, age-standardized, 2014

Fig. 5: Female ischemic heart disease, 2014



450

Fig. 6: Male ischemic heart disease, 2014

FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

% change 1980-2014	National rank	National	Indiana	Jay County	Sex
-54.1	988	47.4	53.1	46.6	Female
-52.7	1274	48.8	55.3	49.3	Male

rate per 100,000 population, age-standardized, 2014

Fig. 7: Female cerebrovascular disease (stroke), 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014





# FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

% change 1980-2014	National rank	National	Indiana	Jay County	Sex
+71.7	2075	43.8	52.9	52.3	Female
+2.0	2586	67.6	86.5	105.0	Male

rate per 100,000 population, age-standardized, 2014

Fig. 9: Female tracheal, bronchus, and lung cancer, 2014





FINDINGS: BREAST CANCER

% change 1980-2014	National rank	National	Indiana	<b>Jay County</b>	Sex
-21.9	2074	25.9	26.7	27.4	Female
+8.3	2641	0.3	0.4	0.4	Male

rate per 100,000 population, age-standardized, 2014

Fig. 11: Female breast cancer, 2014





Fig. 12: Male breast cancer, 2014





### FINDINGS: MALIGNANT SKIN MELANOMA

% change 1980-2014	National rank	National	Indiana	Jay County	Sex
+28.0	2857	1.9	2.2	2.6	Female
+94.2	3118	4.5	5.1	7.1	Male

rate per 100,000 population, age-standardized, 2014

Fig. 13: Female malignant skin melanoma, 2014





FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

% change 1980-2014	National rank	National	Indiana	<b>Jay County</b>	Sex
+61.1	2677	49.6	59.9	73.9	Female
+80.2	3044	63.8	75.5	109.3	Male

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



### FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

% change 1980-2014	National rank	National	Indiana	Jay County	Sex
-1.4	377	9.0	10.5	6.5	Female
-6.5	1245	30.9	34.5	30.2	Male

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014




Fig. 18: Male self-harm and interpersonal violence mortality, 2014

FINDINGS: TRANSPORT INJURIES MORTALITY

% change 1980-2014	National rank	National	Indiana	Jay County	Sex
-29.1	1844	8.1	8.5	14.7	Female
-30.1	1891	19.8	20.1	34.1	Male

rate per 100,000 population, age-standardized, 2014

Fig. 19: Female transport injuries mortality, 2014





Fig. 20: Male transport injuries mortality, 2014



#### FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

% change 1980-2014	National rank	National	Indiana	Jay County	Sex
+977.3	1211	8.2	9.6	6.8	Female
+1056.3	2509	18.7	20.6	23.1	Male

rate per 100,000 population, age-standardized, 2014

Fig. 21: Female mental and substance use disorders mortality, 2014




Fig. 22: Male mental and substance use disorders mortality, 2014

FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

Sex	Jay County	Indiana	National	National rank	% change 1980-2014
Female	9.6	11.6	11.8	580	+20.9
Male	18.3	21.2	22.2	928	+20.7

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality,





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014





# FINDINGS: HEAVY DRINKING

% change 2005-2012	National rank	National	Indiana	Jay County	Sex
+56.1	1602	6.7	5.6	5.2	Female
+14.0	1401	9.9	9.7	9.9	Male

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012







FINDINGS: BINGE DRINKING


% change 2002-2012	National rank	National	Indiana	Jay County	Sex
+37.9	1831	12.4	12.1	11.9	Female
+4.4	1487	24.5	24.1	23.8	Male

prevalence (%), age-standardized, 2012

Fig. 27: Female binge drinking, 2012









# FINDINGS: SMOKING

% change 1996-2012	National rank	National	Indiana	<b>Jay County</b>	Sex
-0.9	2894	17.9	22.5	27.7	Female
-9.5	2832	22.2	26.4	31.0	Male

prevalence (%), age-standardized, 2012

Fig. 29: Female smoking, 2012





FINDINGS: OBESITY

% change 2001-2011	National rank	National	Indiana	Jay County	Sex
+33.6	2062	36.1	39.5	40.6	Female
+41.2	2802	33.8	36.3	41.0	Male

prevalence (%), age-standardized, 2011

Fig. 31: Female obesity, 2011





Fig. 32: Male obesity, 2011



#### FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

% change 2001-2011	National rank	National	Indiana	Jay County	Sex
+8.9	2530	52.6	47.6	43.2	Female
-7.2	2441	56.3	52.5	48.5	Male

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011





Fig. 34: Male recommended physical activity, 2011



# **CITATION:**

Institute for Health Metrics and Evaluation (IHME), US County Profile: Jay County, Indiana. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA

Telephone: +1-206-897-2800 E-mail: engage@healthdata.org

www.healthdata.org

