
US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).


FINDINGS: LIFE EXPECTANCY

| Sex | Jefferson County | Idaho | National | National rank | % change 1980-2014 |
|--------|------------------|-------|----------|---------------|--------------------|
| Female | 83.0 | 81.4 | 81.5 | 295 | +5.0 |
| Male | 77.6 | 77.6 | 76.7 | 648 | +8.8 |



life expectancy at birth (years), 2014

Fig. 2: Male life expectancy, 2014



FINDINGS: ALL-CAUSE MORTALITY

| Sex | Jefferson County | Idaho | National | National rank | % change 1980-2014 |
|--------|------------------|-------|----------|---------------|--------------------|
| Female | 598.3 | 674.7 | 667.8 | 409 | -25.7 |
| Male | 834.7 | 885.2 | 930.1 | 404 | -35.4 |

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014



FINDINGS: ISCHEMIC HEART DISEASE

| Sex | Jefferson County | Idaho | National | National rank | % change 1980-2014 |
|--------|------------------|-------|----------|---------------|--------------------|
| Female | 91.2 | 99.4 | 124.9 | 349 | -58.1 |
| Male | 170.0 | 163.5 | 191.5 | 708 | -55.7 |

rate per 100,000 population, age-standardized, 2014






Fig. 5: Female ischemic heart disease, 2014




FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

| Sex | Jefferson County | Idaho | National | National rank | % change 1980-2014 |
|--------|------------------|-------|----------|---------------|--------------------|
| Female | 40.5 | 51.1 | 47.4 | 411 | -50.9 |
| Male | 42.5 | 49.2 | 48.8 | 536 | -55.2 |







FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

| Sex | Jefferson County | Idaho | National | National rank | % change 1980-2014 |
|--------|------------------|-------|----------|---------------|--------------------|
| Female | 23.2 | 38.9 | 43.8 | 67 | +23.4 |
| Male | 36.8 | 51.4 | 67.6 | 75 | -41.6 |

rate per 100,000 population, age-standardized, 2014






Fig. 10: Male tracheal, bronchus, and lung cancer, 2014




FINDINGS: BREAST CANCER

| Sex | Jefferson County | Idaho | National | National rank | % change 1980-2014 |
|--------|------------------|-------|----------|---------------|--------------------|
| Female | 24.9 | 24.3 | 25.9 | 1218 | -25.4 |
| Male | 0.3 | 0.3 | 0.3 | 854 | -15.6 |







FINDINGS: MALIGNANT SKIN MELANOMA

| Sex | Jefferson County | Idaho | National | National rank | % change 1980-2014 |
|--------|------------------|-------|----------|---------------|--------------------|
| Female | 2.4 | 2.3 | 1.9 | 2323 | +3.9 |
| Male | 5.5 | 5.6 | 4.5 | 2237 | +35.6 |

rate per 100,000 population, age-standardized, 2014





Fig. 14: Male malignant skin melanoma, 2014



FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

| Sex | Jefferson County | Idaho | National | National rank | % change 1980-2014 |
|--------|------------------|-------|----------|---------------|--------------------|
| Female | 46.8 | 49.7 | 49.6 | 887 | +9.3 |
| Male | 67.6 | 58.6 | 63.8 | 1590 | +32.6 |

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014






Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014




FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

| Sex | Jefferson County | Idaho | National | National rank | % change 1980-2014 |
|--------|------------------|-------|----------|---------------|--------------------|
| Female | 7.3 | 11.3 | 9.0 | 672 | -7.6 |
| Male | 38.7 | 34.8 | 30.9 | 2278 | +4.2 |

rate per 100,000 population, age-standardized, 2014





FINDINGS: TRANSPORT INJURIES MORTALITY

| Sex | Jefferson County | Idaho | National | National rank | % change 1980-2014 |
|--------|------------------|-------|----------|---------------|--------------------|
| Female | 12.3 | 10.6 | 8.1 | 1322 | -44.5 |
| Male | 34.2 | 23.3 | 19.8 | 1904 | -46.5 |

20

40

60

80

100

120

140

160

180

rate per 100,000 population, age-standardized, 2014





Fig. 20: Male transport injuries mortality, 2014


Fig. 18: Male self-harm and interpersonal violence mortality, 2014



FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

| Sex | Jefferson County | Idaho | National | National rank | % change 1980-2014 |
|--------|------------------|-------|----------|---------------|--------------------|
| Female | 5.9 | 8.9 | 8.2 | 902 | +231.6 |
| Male | 9.9 | 13.5 | 18.7 | 559 | +148.4 |

rate per 100,000 population, age-standardized, 2014







Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

| Sex | Jefferson County | Idaho | National | National rank | % change 1980-2014 |
|--------|------------------|-------|----------|---------------|--------------------|
| Female | 8.8 | 12.8 | 11.8 | 380 | +2.4 |
| Male | 16.3 | 21.4 | 22.2 | 613 | +3.5 |

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality,






Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014




FINDINGS: HEAVY DRINKING

| Sex | Jefferson County | Idaho | National | National rank | % change 2005-2012 |
|--------|------------------|-------|----------|---------------|--------------------|
| Female | 3.8 | 7.0 | 6.7 | 886 | +67.3 |
| Male | 6.2 | 10.7 | 9.9 | 96 | +37.2 |

prevalence (%), age-standardized, 2012





FINDINGS: BINGE DRINKING

| Sex | Jefferson County | Idaho | National | National rank | % change 2002-2012 |
|--------|------------------|-------|----------|---------------|--------------------|
| Female | 6.0 | 12.1 | 12.4 | 335 | +12.1 |
| Male | 13.2 | 22.7 | 24.5 | 24 | +2.1 |

prevalence (%), age-standardized, 2012






Fig. 28: Male binge drinking, 2012




FINDINGS: SMOKING

| Sex | Jefferson County | Idaho | National | National rank | % change 1996-2012 |
|--------|------------------|-------|----------|---------------|--------------------|
| Female | 14.4 | 18.0 | 17.9 | 157 | -10.3 |
| Male | 18.6 | 21.4 | 22.2 | 160 | -20.7 |

prevalence (%), age-standardized, 2012





FINDINGS: OBESITY

| Sex | Jefferson County | Idaho | National | National rank | % change 2001-2011 |
|--------|------------------|-------|----------|---------------|--------------------|
| Female | 35.4 | 35.0 | 36.1 | 710 | +18.6 |
| Male | 38.2 | 33.9 | 33.8 | 1904 | +33.9 |

prevalence (%), age-standardized, 2011





Fig. 32: Male obesity, 2011



FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

| Sex | Jefferson County | Idaho | National | National rank | % change 2001-2011 |
|--------|------------------|-------|----------|---------------|--------------------|
| Female | 55.0 | 58.7 | 52.6 | 744 | +2.1 |
| Male | 49.7 | 60.5 | 56.3 | 2257 | -13.4 |

prevalence (%), age-standardized, 2011





Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Jefferson County, Idaho. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

