

# COUNTY PROFILE: Jefferson County, Mississippi

## US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (<http://vizhub.healthdata.org/subnational/usa>).

## FINDINGS: LIFE EXPECTANCY

Sex	Jefferson County	Mississippi	National	National rank	% change 1980-2014
Female	76.2	77.9	81.5	3049	+3.6
Male	70.5	71.9	76.7	3015	+6.1

life expectancy at birth (years), 2014

Fig. 1: Female life expectancy, 2014





Fig. 2: Male life expectancy, 2014



## FINDINGS: ALL-CAUSE MORTALITY

Sex	Jefferson County	Mississippi	National	National rank	% change 1980-2014
Female	883.8	854.6	667.8	2743	-10.2
Male	1258.6	1262.5	930.1	2728	-17.9

rate per 100,000 population, age-standardized, 2014

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014



## FINDINGS: ISCHEMIC HEART DISEASE

Sex	Jefferson County	Mississippi	National	National rank	% change 1980-2014
Female	178.1	174.7	124.9	2632	-41.9
Male	240.5	263.6	191.5	2245	-40.9

rate per 100,000 population, age-standardized, 2014

Fig. 5: Female ischemic heart disease, 2014





Fig. 6: Male ischemic heart disease, 2014



## FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

Sex	Jefferson County	Mississippi	National	National rank	% change 1980-2014
Female	41.1	56.9	47.4	446	-57.2
Male	55.8	65.5	48.8	1980	-52.7

rate per 100,000 population, age-standardized, 2014

Fig. 7: Female cerebrovascular disease (stroke), 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014




## FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER


Sex	Jefferson County	Mississippi	National	National rank	% change 1980-2014
Female	46.7	51.6	43.8	1457	+57.9
Male	99.0	105.7	67.6	2421	-18.0

rate per 100,000 population, age-standardized, 2014

**Fig. 9: Female tracheal, bronchus, and lung cancer, 2014**



**Fig. 10: Male tracheal, bronchus, and lung cancer, 2014**




## FINDINGS: BREAST CANCER


Sex	Jefferson County	Mississippi	National	National rank	% change 1980-2014
Female	41.4	31.0	25.9	3131	+19.1
Male	0.6	0.4	0.3	3128	-9.2

rate per 100,000 population, age-standardized, 2014

**Fig. 11: Female breast cancer, 2014**



**Fig. 12: Male breast cancer, 2014**



## FINDINGS: MALIGNANT SKIN MELANOMA

Sex	Jefferson County	Mississippi	National	National rank	% change 1980-2014
Female	1.0	1.6	1.9	15	-11.7
Male	2.3	4.2	4.5	31	+37.2

rate per 100,000 population, age-standardized, 2014

Fig. 13: Female malignant skin melanoma, 2014





Fig. 14: Male malignant skin melanoma, 2014



## FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

Sex	Jefferson County	Mississippi	National	National rank	% change 1980-2014
Female	98.0	71.3	49.6	3059	+16.6
Male	101.8	86.4	63.8	2961	+15.7

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014




## FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY


Sex	Jefferson County	Mississippi	National	National rank	% change 1980-2014
Female	14.6	11.8	9.0	2885	-29.6
Male	41.1	44.1	30.9	2479	-26.4

rate per 100,000 population, age-standardized, 2014

**Fig. 17: Female self-harm and interpersonal violence mortality, 2014**



**Fig. 18: Male self-harm and interpersonal violence mortality, 2014**




## FINDINGS: TRANSPORT INJURIES MORTALITY


Sex	Jefferson County	Mississippi	National	National rank	% change 1980-2014
Female	21.4	17.7	8.1	2835	-1.3
Male	64.1	42.6	19.8	3077	-15.4

rate per 100,000 population, age-standardized, 2014

**Fig. 19: Female transport injuries mortality, 2014**



**Fig. 20: Male transport injuries mortality, 2014**



## FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

Sex	Jefferson County	Mississippi	National	National rank	% change 1980-2014
Female	5.7	8.2	8.2	838	+214.9
Male	12.9	16.9	18.7	1106	+85.8

rate per 100,000 population, age-standardized, 2014

Fig. 21: Female mental and substance use disorders mortality, 2014





Fig. 22: Male mental and substance use disorders mortality, 2014



## FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

Sex	Jefferson County	Mississippi	National	National rank	% change 1980-2014
Female	12.7	14.0	11.8	1677	-0.2
Male	23.8	27.5	22.2	1816	-2.6

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality, 2014





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014



## FINDINGS: HEAVY DRINKING

Sex	Jefferson County	Mississippi	National	National rank	% change 2005-2012
Female	1.9	3.8	6.7	132	-3.7
Male	12.6	8.8	9.9	2446	+18.3

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012





Fig. 26: Male heavy drinking, 2012



## FINDINGS: BINGE DRINKING

Sex	Jefferson County	Mississippi	National	National rank	% change 2002-2012
Female	5.9	7.5	12.4	318	+23.6
Male	21.3	20.0	24.5	1015	-3.0

prevalence (%), age-standardized, 2012

Fig. 27: Female binge drinking, 2012





Fig. 28: Male binge drinking, 2012



## FINDINGS: SMOKING

Sex	Jefferson County	Mississippi	National	National rank	% change 1996-2012
Female	17.4	21.1	17.9	448	-5.4
Male	31.6	28.4	22.2	2921	-6.0

prevalence (%), age-standardized, 2012

Fig. 29: Female smoking, 2012





Fig. 30: Male smoking, 2012



## FINDINGS: OBESITY

Sex	Jefferson County	Mississippi	National	National rank	% change 2001-2011
Female	57.7	44.5	36.1	3134	+8.6
Male	41.5	39.1	33.8	2899	+9.8

prevalence (%), age-standardized, 2011

Fig. 31: Female obesity, 2011





Fig. 32: Male obesity, 2011



## FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Jefferson County	Mississippi	National	National rank	% change 2001-2011
Female	34.8	39.7	52.6	3080	+18.7
Male	42.0	47.2	56.3	3020	-1.6

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011





Fig. 34: Male recommended physical activity, 2011



## CITATION:

Institute for Health Metrics and Evaluation (IHME),  
US County Profile: Jefferson County, Mississippi.  
Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation  
2301 Fifth Ave., Suite 600  
Seattle, WA 98121 USA

Telephone: +1-206-897-2800  
E-mail: engage@healthdata.org  
www.healthdata.org

