
US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).


FINDINGS: LIFE EXPECTANCY

| Sex | Jones County | South Dakota | National | National rank | % change 1980-2014 |
|--------|--------------|--------------|----------|---------------|--------------------|
| Female | 82.9 | 82.0 | 81.5 | 327 | +4.0 |
| Male | 77.5 | 77.2 | 76.7 | 716 | +9.4 |



life expectancy at birth (years), 2014

Fig. 2: Male life expectancy, 2014



FINDINGS: ALL-CAUSE MORTALITY

| Sex | Jones County | South Dakota | National | National rank | % change 1980-2014 |
|--------|--------------|--------------|----------|---------------|--------------------|
| Female | 561.9 | 620.2 | 667.8 | 205 | -19.1 |
| Male | 801.5 | 899.0 | 930.1 | 275 | -36.2 |

rate per 100,000 population, age-standardized, 2014





Fig. 4: Male all-cause mortality, 2014



FINDINGS: ISCHEMIC HEART DISEASE

| Sex | Jones County | South Dakota | National | National rank | % change 1980-2014 |
|--------|--------------|--------------|----------|---------------|--------------------|
| Female | 75.4 | 106.9 | 124.9 | 99 | -56.2 |
| Male | 139.1 | 186.7 | 191.5 | 204 | -66.8 |

rate per 100,000 population, age-standardized, 2014





Fig. 5: Female ischemic heart disease, 2014

Fig. 6: Male ischemic heart disease, 2014



FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

| Sex | Jones County | South Dakota | National | National rank | % change 1980-2014 |
|--------|--------------|--------------|----------|---------------|--------------------|
| Female | 31.0 | 46.8 | 47.4 | 47 | -46.9 |
| Male | 36.3 | 48.7 | 48.8 | 135 | -51.6 |

rate per 100,000 population, age-standardized, 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014



FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

| Sex | Jones County | South Dakota | National | National rank | % change 1980-2014 |
|--------|--------------|--------------|----------|---------------|--------------------|
| Female | 53.4 | 40.2 | 43.8 | 2180 | +71.8 |
| Male | 59.0 | 66.5 | 67.6 | 679 | -31.8 |

rate per 100,000 population, age-standardized, 2014





Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



FINDINGS: BREAST CANCER

| Sex | Jones County | South Dakota | National | National rank | % change 1980-2014 |
|--------|--------------|--------------|----------|---------------|--------------------|
| Female | 25.4 | 23.2 | 25.9 | 1434 | -28.3 |
| Male | 0.2 | 0.3 | 0.3 | 217 | -21.5 |

rate per 100,000 population, age-standardized, 2014





Fig. 12: Male breast cancer, 2014



http://www.healthdata.org

FINDINGS: MALIGNANT SKIN MELANOMA

| Sex | Jones County | South Dakota | National | National rank | % change 1980-2014 |
|--------|--------------|--------------|----------|---------------|--------------------|
| Female | 2.2 | 1.9 | 1.9 | 1825 | -0.8 |
| Male | 3.7 | 4.0 | 4.5 | 423 | +16.7 |

rate per 100,000 population, age-standardized, 2014





Fig. 14: Male malignant skin melanoma, 2014



FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

| Sex | Jones County | South Dakota | National | National rank | % change 1980-2014 |
|--------|--------------|--------------|----------|---------------|--------------------|
| Female | 40.8 | 46.1 | 49.6 | 472 | +33.1 |
| Male | 57.7 | 56.8 | 63.8 | 836 | +41.5 |

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014




FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

| Sex | Jones County | South Dakota | National | National rank | % change 1980-2014 |
|--------|--------------|--------------|----------|---------------|--------------------|
| Female | 8.3 | 9.3 | 9.0 | 1021 | +31.0 |
| Male | 26.4 | 31.2 | 30.9 | 755 | -8.0 |

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014



FINDINGS: TRANSPORT INJURIES MORTALITY

| Sex | Jones County | South Dakota | National | National rank | % change 1980-2014 |
|--------|--------------|--------------|----------|---------------|--------------------|
| Female | 18.1 | 11.9 | 8.1 | 2462 | -12.8 |
| Male | 39.3 | 27.1 | 19.8 | 2310 | -31.7 |

rate per 100,000 population, age-standardized, 2014




Fig. 20: Male transport injuries mortality, 2014





Fig. 18: Male self-harm and interpersonal violence mortality, 2014



FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

| Sex | Jones County | South Dakota | National | National rank | % change 1980-2014 |
|--------|--------------|--------------|----------|---------------|--------------------|
| Female | 3.3 | 6.0 | 8.2 | 121 | +124.0 |
| Male | 12.8 | 11.4 | 18.7 | 1095 | +73.9 |

rate per 100,000 population, age-standardized, 2014







Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

| Sex | Jones County | South Dakota | National | National rank | % change 1980-2014 |
|--------|--------------|--------------|----------|---------------|--------------------|
| Female | 14.5 | 14.8 | 11.8 | 2208 | +26.8 |
| Male | 17.8 | 21.6 | 22.2 | 836 | +13.9 |

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality,






Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014




FINDINGS: HEAVY DRINKING

| Sex | Jones County | South Dakota | National | National rank | % change 2005-2012 |
|--------|--------------|--------------|----------|---------------|--------------------|
| Female | 4.6 | 6.6 | 6.7 | 1305 | +72.2 |
| Male | 11.7 | 13.0 | 9.9 | 2131 | +41.5 |



prevalence (%), age-standardized, 2012



35

Fig. 26: Male heavy drinking, 2012

FINDINGS: BINGE DRINKING

| Sex | Jones County | South Dakota | National | National rank | % change 2002-2012 |
|--------|--------------|--------------|----------|---------------|--------------------|
| Female | 10.8 | 15.6 | 12.4 | 1542 | +6.8 |
| Male | 28.3 | 30.9 | 24.5 | 2286 | +3.6 |

5

10

15

20

25

з'n

prevalence (%), age-standardized, 2012






Fig. 28: Male binge drinking, 2012




FINDINGS: SMOKING

| Sex | Jones County | South Dakota | National | National rank | % change 1996-2012 |
|--------|--------------|--------------|----------|---------------|--------------------|
| Female | 21.7 | 20.1 | 17.9 | 1522 | -6.3 |
| Male | 23.5 | 23.3 | 22.2 | 981 | -12.3 |




prevalence (%), age-standardized, 2012




FINDINGS: OBESITY

| Sex | Jones County | South Dakota | National | National rank | % change 2001-2011 |
|--------|--------------|--------------|----------|---------------|--------------------|
| Female | 36.5 | 35.6 | 36.1 | 1009 | +31.6 |
| Male | 36.6 | 36.0 | 33.8 | 1227 | +26.2 |

prevalence (%), age-standardized, 2011





FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

| Sex | Jones County | South Dakota | National | National rank | % change 2001-2011 |
|--------|--------------|--------------|----------|---------------|--------------------|
| Female | 55.9 | 52.0 | 52.6 | 608 | +9.1 |
| Male | 57.3 | 52.3 | 56.3 | 769 | +13.1 |

prevalence (%), age-standardized, 2011





Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Jones County, South Dakota. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

