

# COUNTY PROFILE: Kenedy County, Texas

## US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (<http://vizhub.healthdata.org/subnational/usa>).

## FINDINGS: LIFE EXPECTANCY

Sex	Kenedy County	Texas	National	National rank	% change 1980-2014
Female	81.7	80.8	81.5	796	+5.0
Male	73.1	76.2	76.7	2499	+7.2

life expectancy at birth (years), 2014

Fig. 1: Female life expectancy, 2014







Fig. 2: Male life expectancy, 2014



## FINDINGS: ALL-CAUSE MORTALITY

Sex	Kenedy County	Texas	National	National rank	% change 1980-2014
Female	626.9	694.2	667.8	600	-24.7
Male	1148.6	954.8	930.1	2341	-24.7

rate per 100,000 population, age-standardized, 2014

Fig. 3: Female all-cause mortality, 2014







Fig. 4: Male all-cause mortality, 2014



## FINDINGS: ISCHEMIC HEART DISEASE

Sex	Kenedy County	Texas	National	National rank	% change 1980-2014
Female	146.3	127.2	124.9	1987	-50.7
Male	336.6	197.7	191.5	3058	-37.8

rate per 100,000 population, age-standardized, 2014

Fig. 5: Female ischemic heart disease, 2014







Fig. 6: Male ischemic heart disease, 2014



## FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

Sex	Kenedy County	Texas	National	National rank	% change 1980-2014
Female	37.2	52.0	47.4	227	-55.8
Male	68.6	54.0	48.8	2821	-32.9

rate per 100,000 population, age-standardized, 2014

Fig. 7: Female cerebrovascular disease (stroke), 2014







Fig. 8: Male cerebrovascular disease (stroke), 2014



## FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

Sex	Kenedy County	Texas	National	National rank	% change 1980-2014
Female	20.4	38.4	43.8	35	-21.6
Male	72.9	62.9	67.6	1363	-21.6

rate per 100,000 population, age-standardized, 2014

Fig. 9: Female tracheal, bronchus, and lung cancer, 2014






Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



## FINDINGS: BREAST CANCER

Sex	Kenedy County	Texas	National	National rank	% change 1980-2014
Female	22.4	25.6	25.9	457	-6.2
Male	0.3	0.3	0.3	1110	+5.1

rate per 100,000 population, age-standardized, 2014

Fig. 11: Female breast cancer, 2014







Fig. 12: Male breast cancer, 2014



## FINDINGS: MALIGNANT SKIN MELANOMA

Sex	Kenedy County	Texas	National	National rank	% change 1980-2014
Female	1.2	1.6	1.9	43	-20.9
Male	3.0	4.0	4.5	113	+17.3

rate per 100,000 population, age-standardized, 2014

Fig. 13: Female malignant skin melanoma, 2014






Fig. 14: Male malignant skin melanoma, 2014



## FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

Sex	Kenedy County	Texas	National	National rank	% change 1980-2014
Female	66.8	55.9	49.6	2377	+4.5
Male	98.9	66.9	63.8	2914	+44.5

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014







Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



## FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

Sex	Kenedy County	Texas	National	National rank	% change 1980-2014
Female	4.0	8.4	9.0	6	-25.6
Male	23.0	28.8	30.9	410	-32.3

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014







Fig. 18: Male self-harm and interpersonal violence mortality, 2014



## FINDINGS: TRANSPORT INJURIES MORTALITY

Sex	Kenedy County	Texas	National	National rank	% change 1980-2014
Female	27.4	9.5	8.1	3092	-18.7
Male	93.2	24.3	19.8	3136	-30.0

rate per 100,000 population, age-standardized, 2014

Fig. 19: Female transport injuries mortality, 2014







Fig. 20: Male transport injuries mortality, 2014



## FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

Sex	Kenedy County	Texas	National	National rank	% change 1980-2014
Female	1.7	6.4	8.2	2	+190.7
Male	5.4	13.9	18.7	50	+108.3

rate per 100,000 population, age-standardized, 2014

Fig. 21: Female mental and substance use disorders mortality, 2014







Fig. 22: Male mental and substance use disorders mortality, 2014



## FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

Sex	Kenedy County	Texas	National	National rank	% change 1980-2014
Female	19.0	14.5	11.8	2900	+62.8
Male	48.3	27.7	22.2	3084	+55.9

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality, 2014






Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014





## FINDINGS: HEAVY DRINKING



Sex	Kenedy County	Texas	National	National rank	% change 2005-2012
Female	2.7	5.3	6.7	405	+12.3
Male	9.8	9.5	9.9	1376	-4.0

prevalence (%), age-standardized, 2012

**Fig. 25: Female heavy drinking, 2012**



**Fig. 26: Male heavy drinking, 2012**





## FINDINGS: BINGE DRINKING



Sex	Kenedy County	Texas	National	National rank	% change 2002-2012
Female	7.6	10.8	12.4	739	-4.6
Male	27.6	24.5	24.5	2178	-13.9

prevalence (%), age-standardized, 2012

**Fig. 27: Female binge drinking, 2012**



**Fig. 28: Male binge drinking, 2012**





## FINDINGS: SMOKING



Sex	Kenedy County	Texas	National	National rank	% change 1996-2012
Female	10.3	15.1	17.9	22	-26.3
Male	18.4	22.1	22.2	148	-25.6

prevalence (%), age-standardized, 2012

**Fig. 29: Female smoking, 2012**



**Fig. 30: Male smoking, 2012**





## FINDINGS: OBESITY



Sex	Kenedy County	Texas	National	National rank	% change 2001-2011
Female	42.6	38.9	36.1	2466	+21.3
Male	38.0	36.0	33.8	1845	+33.7

prevalence (%), age-standardized, 2011

**Fig. 31: Female obesity, 2011**



**Fig. 32: Male obesity, 2011**





## FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Kenedy County	Texas	National	National rank	% change 2001-2011
Female	49.8	49.5	52.6	1645	+22.4
Male	54.6	54.1	56.3	1317	+17.7

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011







Fig. 34: Male recommended physical activity, 2011



### CITATION:

Institute for Health Metrics and Evaluation (IHME),  
US County Profile: Kenedy County, Texas.  
Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation  
2301 Fifth Ave., Suite 600  
Seattle, WA 98121 USA

Telephone: +1-206-897-2800  
E-mail: [engage@healthdata.org](mailto:engage@healthdata.org)  
[www.healthdata.org](http://www.healthdata.org)

