
## US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).

## FINDINGS: LIFE EXPECTANCY

Sex	Kenosha County	Wisconsin	National	National rank	% change 1980-2014
Female	80.3	81.9	81.5	1568	+2.9
Male	76.1	77.7	76.7	1352	+7.7



life expectancy at birth (years), 2014

Fig. 2: Male life expectancy, 2014

# FINDINGS: ALL-CAUSE MORTALITY

Sex	Kenosha County	Wisconsin	National	National rank	% change 1980-2014
Female	746.3	645.7	667.8	1736	-11.5
Male	1010.0	895.4	930.1	1557	-30.5

rate per 100,000 population, age-standardized, 2014

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014



## FINDINGS: ISCHEMIC HEART DISEASE

Sex	Kenosha County	Wisconsin	National	National rank	% change 1980-2014
Female	130.6	104.3	124.9	1507	-55.4
Male	215.9	174.5	191.5	1765	-58.7

rate per 100,000 population, age-standardized, 2014




Fig. 6: Male ischemic heart disease, 2014

50 100 150 200 250 300 350 400 450 500

### FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

Sex	Kenosha County	Wisconsin	National	National rank	% change 1980-2014
Female	57.6	45.9	47.4	2218	-32.7
Male	58.8	47.7	48.8	2281	-42.4

rate per 100,000 population, age-standardized, 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014




## FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

Sex	Kenosha County	Wisconsin	National	National rank	% change 1980-2014
Female	57.3	43.7	43.8	2471	+84.6
Male	76.7	63.0	67.6	1550	-31.1

Fig. 9: Female tracheal, bronchus, and lung cancer, 2014

rate per 100,000 population, age-standardized, 2014


Fig. 10: Male tracheal, bronchus, and lung cancer, 2014




#### FINDINGS: BREAST CANCER

Sex	Kenosha County	Wisconsin	National	National rank	% change 1980-2014
Female	25.8	23.3	25.9	1580	-33.7
Male	0.4	0.3	0.3	2282	-6.6

rate per 100,000 population, age-standardized, 2014



#### Fig. 11: Female breast cancer, 2014





#### Fig. 12: Male breast cancer, 2014

#### FINDINGS: MALIGNANT SKIN MELANOMA

Sex	Kenosha County	Wisconsin	National	National rank	% change 1980-2014
Female	1.9	1.8	1.9	841	+2.2
Male	4.7	4.3	4.5	1350	+40.0

rate per 100,000 population, age-standardized, 2014





## FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

Sex	Kenosha County	Wisconsin	National	National rank	% change 1980-2014
Female	55.8	45.1	49.6	1607	+30.4
Male	74.5	58.9	63.8	2038	+30.5

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014






Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014






#### FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

Sex	Kenosha County	Wisconsin	National	National rank	% change 1980-2014
Female	11.7	8.5	9.0	2340	+45.4
Male	27.6	26.3	30.9	907	-3.5

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014



FINDINGS: TRANSPORT INJURIES MORTALITY

Sex	Kenosha County	Wisconsin	National	National rank	% change 1980-2014
Female	7.2	7.8	8.1	340	-48.0
Male	16.6	17.6	19.8	326	-56.2

rate per 100,000 population, age-standardized, 2014






Fig. 20: Male transport injuries mortality, 2014



#### Fig. 18: Male self-harm and interpersonal violence mortality, 2014



#### FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

Sex	Kenosha County	Wisconsin	National	National rank	% change 1980-2014
Female	11.4	8.4	8.2	2426	+734.3
Male	26.0	17.0	18.7	2698	+738.6

rate per 100,000 population, age-standardized, 2014





Fig. 21: Female mental and substance use disorders mortality, 2014

Fig. 22: Male mental and substance use disorders mortality, 2014




#### FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY


Sex	Kenosha County	Wisconsin	National	National rank	% change 1980-2014
Female	12.4	10.4	11.8	1592	+4.9
Male	20.9	16.8	22.2	1333	-26.5

rate per 100,000 population, age-standardized, 2014






#### Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014



#### FINDINGS: HEAVY DRINKING

Sex	Kenosha County	Wisconsin	National	National rank	% change 2005-2012
Female	11.5	10.4	6.7	3042	+39.4
Male	12.5	13.6	9.9	2388	+1.9

Fig. 25: Female heavy drinking, 2012 8 10 12 14 16 18 20 22 ត់



#### FINDINGS: BINGE DRINKING

Sex	Kenosha County	Wisconsin	National	National rank	% change 2002-2012
Female	18.8	19.7	12.4	2954	+19.3
Male	30.0	32.7	24.5	2507	-4.2

prevalence (%), age-standardized, 2012





Fig. 27: Female binge drinking, 2012

Fig. 28: Male binge drinking, 2012




prevalence (%), age-standardized, 2012

## FINDINGS: SMOKING

Sex	Kenosha County	Wisconsin	National	National rank	% change 1996-2012
Female	21.2	19.5	17.9	1382	-31.2
Male	22.9	22.3	22.2	797	-23.2

Fig. 29: Female smoking, 2012


#### prevalence (%), age-standardized, 2012




#### FINDINGS: OBESITY

Sex	Kenosha County	Wisconsin	National	National rank	% change 2001-2011
Female	37.2	36.0	36.1	1227	+26.9
Male	35.1	35.2	33.8	671	+25.3

prevalence (%), age-standardized, 2011



valence (70), age-standardized, 2011



#### Fig. 32: Male obesity, 2011

#### FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Kenosha County	Wisconsin	National	National rank	% change 2001-2011
Female	53.0	57.7	52.6	1093	+3.6
Male	58.1	59.5	56.3	625	-10.0

prevalence (%), age-standardized, 2011





Fig. 34: Male recommended physical activity, 2011



#### **CITATION:**

Institute for Health Metrics and Evaluation (IHME), US County Profile: Kenosha County, Wisconsin. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

