COUNTY PROFILE: Kent County, Maryland

US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.


Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).


FINDINGS: LIFE EXPECTANCY

% change 1980-2014	National rank	National	Maryland	Kent County	Sex
+6.4	1023	81.5	81.4	81.3	Female
+10.4	1080	76.7	76.8	76.7	Male

life expectancy at birth (years), 2014

Fig. 1: Female life expectancy, 2014





FINDINGS: ALL-CAUSE MORTALITY

% change 1980-2014	National rank	National	Maryland	Kent County	Sex
-30.8	958	667.8	647.6	667.6	Female
-39.0	1056	930.1	906.0	939.7	Male

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014



FINDINGS: ISCHEMIC HEART DISEASE

Sex	Kent County	Maryland	National	National rank	% change 1980-2014
Female	118.3	122.1	124.9	1112	-61.9
Male	167.5	185.6	191.5	656	-65.5

rate per 100,000 population, age-standardized, 2014

Fig. 5: Female ischemic heart disease, 2014





Fig. 6: Male ischemic heart disease, 2014



FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

% change 1980-2014	National rank	National	Maryland	Kent County	Sex
-23.8	2098	47.4	48.5	56.3	Female
-39.8	1955	48.8	49.7	55.5	Male

rate per 100,000 population, age-standardized, 2014

Fig. 7: Female cerebrovascular disease (stroke), 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014



http://www.healthdata.org Kent County, Maryland | page 2

FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

% change 1980-2014	National rank	National	Maryland	Kent County	Sex
+17.8	1826	43.8	42.5	50.0	Female
-46.1	1016	67.6	62.0	65.9	Male

rate per 100,000 population, age-standardized, 2014

Fig. 9: Female tracheal, bronchus, and lung cancer, 2014




Fig. 10: Male tracheal, bronchus, and lung cancer, 2014

100

FINDINGS: BREAST CANCER

% change 1980-2014	National rank	National	Maryland	Kent County	Sex
-33.7	1749	25.9	26.8	26.3	Female
-15.1	2656	0.3	0.5	0.4	Male

Fig. 11: Female breast cancer, 2014





Fig. 12: Male breast cancer, 2014



FINDINGS: MALIGNANT SKIN MELANOMA

% change 1980-2014	National rank	National	Maryland	Kent County	Sex
+9.6	2105	1.9	1.8	2.3	Female
+50.7	2604	4.5	4.2	5.9	Male

rate per 100,000 population, age-standardized, 2014

Fig. 13: Female malignant skin melanoma, 2014




Fig. 14: Male malignant skin melanoma, 2014

FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

% change 1980-2014	National rank	National	Maryland	Kent County	Sex
-36.7	171	49.6	49.6	34.4	Female
-15.2	678	63.8	62.2	55.4	Male

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

% change 1980-2014	National rank	National	Maryland	Kent County	Sex
+10.4	2062	9.0	11.6	10.9	Female
+13.0	2533	30.9	41.6	41.8	Male

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014




Fig. 18: Male self-harm and interpersonal violence mortality, 2014

FINDINGS: TRANSPORT INJURIES MORTALITY

% change 1980-2014	National rank	National	Maryland	Kent County	Sex
-50.8	881	8.1	6.0	10.4	Female
-56.2	1090	19.8	15.8	25.8	Male

rate per 100,000 population, age-standardized, 2014

Fig. 19: Female transport injuries mortality, 2014





Fig. 20: Male transport injuries mortality, 2014



http://www.healthdata.org Kent County, Maryland | page 5

FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

% change 1980-2014	National rank	National	Maryland	Kent County	Sex
+257.1	519	8.2	3.4	4.9	Female
+246.1	1024	18.7	10.9	12.4	Male

rate per 100,000 population, age-standardized, 2014

Fig. 21: Female mental and substance use disorders mortality, 2014





Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

% change 1980-2014	National rank	National	Maryland	Kent County	Sex
-12.2	1366	11.8	9.5	11.8	Female
-28.3	1116	22.2	17.9	19.5	Male

Fig. 23: Female cirrhosis and other chronic liver diseases mortality,





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014





FINDINGS: HEAVY DRINKING

Sex	Kent County	Maryland	National	National rank	% change 2005-2012
Female	8.5	6.4	6.7	2700	+19.5
Male	12.4	8.7	9.9	2384	+17.7

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012





FINDINGS: BINGE DRINKING

% change 2002-2012	National rank	National	Maryland	Kent County	Sex
-0.9	2169	12.4	13.3	13.4	Female
+0.9	2307	24.5	23.9	28.4	Male

prevalence (%), age-standardized, 2012

Fig. 27: Female binge drinking, 2012





Fig. 28: Male binge drinking, 2012





FINDINGS: SMOKING

% change 1996-2012	National rank	National	Maryland	Kent County	Sex
-23.3	994	17.9	16.3	19.9	Female
-20.6	388	22.2	20.3	21.0	Male

prevalence (%), age-standardized, 2012

Fig. 29: Female smoking, 2012







FINDINGS: OBESITY

% change 2001-2011	National rank	National	Maryland	Kent County	Sex
+37.5	1394	36.1	36.9	37.8	Female
+24.4	955	33.8	33.9	35.9	Male

prevalence (%), age-standardized, 2011

Fig. 31: Female obesity, 2011





FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Kent County	Maryland	National	National rank	% change 2001-2011
Female	51.5	51.7	52.6	1356	+16.2
Male	56.2	55.4	56.3	1008	+9.6

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011





Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Kent County, Maryland. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA

Telephone: +1-206-897-2800 E-mail: engage@healthdata.org

www.healthdata.org

