# COUNTY PROFILE: Larue County, Kentucky

### US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).

### FINDINGS: LIFE EXPECTANCY

% change 1980-2014	National rank	National	Kentucky	<b>Larue County</b>	Sex
+1.9	1843	81.5	78.8	79.8	Female
+4.3	2336	76.7	73.7	73.6	Male

life expectancy at birth (years), 2014

Fig. 1: Female life expectancy, 2014





Fig. 2: Male life expectancy, 2014



### FINDINGS: ALL-CAUSE MORTALITY

% change 1980-2014	National rank	National	Kentucky	<b>Larue County</b>	Sex
-3.8	2026	667.8	827.2	779.5	Female
-14.3	2521	930.1	1168.6	1196.8	Male

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014



### FINDINGS: ISCHEMIC HEART DISEASE

% change 1980-2014	National rank	National	Kentucky	<b>Larue County</b>	Sex
-44.5	1257	124.9	149.9	123.0	Female
-48.0	2041	191.5	235.3	229.5	Male

rate per 100,000 population, age-standardized, 2014

Fig. 5: Female ischemic heart disease, 2014





Fig. 6: Male ischemic heart disease, 2014



# FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

% change 1980-2014	National rank	National	Kentucky	Larue County	Sex
-24.5	2292	47.4	55.3	58.5	Female
-42.9	2340	48.8	55.4	59.6	Male

Fig. 7: Female cerebrovascular disease (stroke), 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014



# FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

% change 1980-2014	National rank	National	Kentucky	<b>Larue County</b>	Sex
+107.0	2169	43.8	67.8	53.3	Female
-0.9	2903	67.6	113.1	119.3	Male

rate per 100,000 population, age-standardized, 2014

Fig. 9: Female tracheal, bronchus, and lung cancer, 2014





Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



### FINDINGS: BREAST CANCER

% change 1980-2014	National rank	National	Kentucky	<b>Larue County</b>	Sex
-12.3	1374	25.9	27.6	25.2	Female
-8.3	1843	0.3	0.3	0.3	Male

Fig. 11: Female breast cancer, 2014





Fig. 12: Male breast cancer, 2014



### FINDINGS: MALIGNANT SKIN MELANOMA

% change 1980-2014	National rank	National	Kentucky	<b>Larue County</b>	Sex
+21.9	2833	1.9	2.3	2.6	Female
+78.9	2945	4.5	5.6	6.4	Male

rate per 100,000 population, age-standardized, 2014

Fig. 13: Female malignant skin melanoma, 2014





Fig. 14: Male malignant skin melanoma, 2014



# FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

% change 1980-2014	National rank	National	Kentucky	Larue County	Sex
+51.3	1769	49.6	62.9	57.7	Female
+56.2	2033	63.8	78.4	74.4	Male

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



### FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

Sex	<b>Larue County</b>	Kentucky	National	National rank	% change 1980-2014
Female	9.4	10.3	9.0	1511	+1.4
Male	33.6	35.4	30.9	1677	+1.3

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014




Fig. 18: Male self-harm and interpersonal violence mortality, 2014

FINDINGS: TRANSPORT INJURIES MORTALITY

% change 1980-2014	National rank	National	Kentucky	<b>Larue County</b>	Sex
-15.1	1818	8.1	12.7	14.6	Female
-6.8	2566	19.8	29.1	43.3	Male

Fig. 19: Female transport injuries mortality, 2014





Fig. 20: Male transport injuries mortality, 2014



### FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

% change 1980-2014	National rank	National	Kentucky	Larue County	Sex
+992.9	2386	8.2	15.0	11.1	Female
+350.6	1631	18.7	29.1	15.8	Male

rate per 100,000 population, age-standardized, 2014

Fig. 21: Female mental and substance use disorders mortality, 2014





Fig. 22: Male mental and substance use disorders mortality, 2014



### FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

% change 1980-2014	National rank	National	Kentucky	<b>Larue County</b>	Sex
+34.0	1352	11.8	13.2	11.8	Female
+20.3	1482	22.2	25.4	21.8	Male

Fig. 23: Female cirrhosis and other chronic liver diseases mortality,  ${\bf 2014}$ 





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014





## FINDINGS: HEAVY DRINKING

Sex	<b>Larue County</b>	Kentucky	National	National rank	% change 2005-2012
Female	1.9	4.6	6.7	123	+72.2
Male	8.4	10.0	9.9	739	+81.0

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012





FINDINGS: BINGE DRINKING

Sex	<b>Larue County</b>	Kentucky	National	National rank	% change 2002-2012
Female	6.0	9.5	12.4	343	+156.9
Male	16.2	21.0	24.5	176	+62.5

prevalence (%), age-standardized, 2012

Fig. 27: Female binge drinking, 2012





Fig. 28: Male binge drinking, 2012





## FINDINGS: SMOKING

Sex	<b>Larue County</b>	Kentucky	National	National rank	% change 1996-2012
Female	28.4	26.0	17.9	2952	-1.4
Male	31.5	28.8	22.2	2910	-15.9

prevalence (%), age-standardized, 2012

Fig. 29: Female smoking, 2012





FINDINGS: OBESITY

% change 2001-2011	National rank	National	Kentucky	Larue County	Sex
+27.5	1955	36.1	39.3	40.2	Female
+25.1	1450	33.8	37.5	37.1	Male

prevalence (%), age-standardized, 2011

Fig. 31: Female obesity, 2011





Fig. 32: Male obesity, 2011



### FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	<b>Larue County</b>	Kentucky	National	National rank	% change 2001-2011
Female	42.7	45.8	52.6	2580	+29.1
Male	46.1	49.9	56.3	2742	+11.7

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011





Fig. 34: Male recommended physical activity, 2011



### **CITATION:**

Institute for Health Metrics and Evaluation (IHME), US County Profile: Larue County, Kentucky. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA

Telephone: +1-206-897-2800 E-mail: engage@healthdata.org

www.healthdata.org

