
## US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).


## FINDINGS: LIFE EXPECTANCY

| Sex    | Mercer County | Missouri | National | National rank | % change 1980-2014 |
|--------|---------------|----------|----------|---------------|--------------------|
| Female | 82.5          | 80.2     | 81.5     | 438           | +4.0               |
| Male   | 75.8          | 75.3     | 76.7     | 1475          | +7.2               |



life expectancy at birth (years), 2014

Fig. 2: Male life expectancy, 2014



## FINDINGS: ALL-CAUSE MORTALITY

| Sex    | Mercer County | Missouri | National | National rank | % change 1980-2014 |
|--------|---------------|----------|----------|---------------|--------------------|
| Female | 581.5         | 738.9    | 667.8    | 310           | -19.6              |
| Male   | 966.5         | 1038.3   | 930.1    | 1254          | -27.4              |

rate per 100,000 population, age-standardized, 2014

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014




# FINDINGS: ISCHEMIC HEART DISEASE

| Sex    | Mercer County | Missouri | National | National rank | % change 1980-2014 |
|--------|---------------|----------|----------|---------------|--------------------|
| Female | 128.4         | 148.8    | 124.9    | 1438          | -41.6              |
| Male   | 205.6         | 227.9    | 191.5    | 1546          | -51.1              |

rate per 100,000 population, age-standardized, 2014

Fig. 5: Female ischemic heart disease, 2014



## FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

| Sex    | Mercer County | Missouri | National | National rank | % change 1980-2014 |
|--------|---------------|----------|----------|---------------|--------------------|
| Female | 46.6          | 54.1     | 47.4     | 990           | -41.9              |
| Male   | 47.5          | 54.8     | 48.8     | 1052          | -51.7              |

rate per 100,000 population, age-standardized, 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014



## FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

| Sex    | Mercer County | Missouri | National | National rank | % change 1980-2014 |
|--------|---------------|----------|----------|---------------|--------------------|
| Female | 37.2          | 52.7     | 43.8     | 598           | +78.2              |
| Male   | 100.4         | 83.4     | 67.6     | 2466          | +3.6               |

rate per 100,000 population, age-standardized, 2014





Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



#### FINDINGS: BREAST CANCER

| Sex    | Mercer County | Missouri | National | National rank | % change 1980-2014 |
|--------|---------------|----------|----------|---------------|--------------------|
| Female | 20.7          | 27.4     | 25.9     | 169           | -29.7              |
| Male   | 0.3           | 0.3      | 0.3      | 1042          | -10.7              |

rate per 100,000 population, age-standardized, 2014





Fig. 11: Female breast cancer, 2014





#### Fig. 12: Male breast cancer, 2014

## FINDINGS: MALIGNANT SKIN MELANOMA

| Sex    | Mercer County | Missouri | National | National rank | % change 1980-2014 |
|--------|---------------|----------|----------|---------------|--------------------|
| Female | 2.1           | 2.1      | 1.9      | 1616          | +8.0               |
| Male   | 5.0           | 5.2      | 4.5      | 1678          | +54.7              |

rate per 100,000 population, age-standardized, 2014





## FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

| Sex    | Mercer County | Missouri | National | National rank | % change 1980-2014 |
|--------|---------------|----------|----------|---------------|--------------------|
| Female | 34.2          | 51.7     | 49.6     | 160           | -4.6               |
| Male   | 62.5          | 66.1     | 63.8     | 1181          | +25.8              |

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014






Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



## FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

| Sex    | Mercer County | Missouri | National | National rank | % change 1980-2014 |
|--------|---------------|----------|----------|---------------|--------------------|
| Female | 8.5           | 10.3     | 9.0      | 1136          | +10.3              |
| Male   | 48.0          | 37.7     | 30.9     | 2843          | +10.6              |

rate per 100,000 population, age-standardized, 2014








Fig. 18: Male self-harm and interpersonal violence mortality, 2014




## FINDINGS: TRANSPORT INJURIES MORTALITY

| Sex    | Mercer County | Missouri | National | National rank | % change 1980-2014 |
|--------|---------------|----------|----------|---------------|--------------------|
| Female | 13.8          | 10.5     | 8.1      | 1648          | -21.6              |
| Male   | 37.0          | 24.2     | 19.8     | 2134          | -24.8              |

rate per 100,000 population, age-standardized, 2014



mortality 2014 Fig. 20



# Fig. 20: Male transport injuries mortality, 2014

## FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

| Sex    | Mercer County | Missouri | National | National rank | % change 1980-2014 |
|--------|---------------|----------|----------|---------------|--------------------|
| Female | 5.1           | 9.9      | 8.2      | 602           | +381.1             |
| Male   | 10.2          | 21.1     | 18.7     | 633           | +189.0             |

rate per 100,000 population, age-standardized, 2014







Fig. 22: Male mental and substance use disorders mortality, 2014




#### FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY


| Sex    | Mercer County | Missouri | National | National rank | % change 1980-2014 |
|--------|---------------|----------|----------|---------------|--------------------|
| Female | 7.6           | 10.8     | 11.8     | 114           | +1.5               |
| Male   | 17.8          | 20.9     | 22.2     | 838           | -1.6               |

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality,



#### Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014




## FINDINGS: HEAVY DRINKING

| Sex    | Mercer County | Missouri | National | National rank | % change 2005-2012 |
|--------|---------------|----------|----------|---------------|--------------------|
| Female | 4.2           | 6.1      | 6.7      | 1079          | +75.7              |
| Male   | 11.7          | 11.5     | 9.9      | 2137          | +28.7              |

Fig. 25: Female heavy drinking, 2012

prevalence (%), age-standardized, 2012



#### FINDINGS: BINGE DRINKING

| Sex    | Mercer County | Missouri | National | National rank | % change 2002-2012 |
|--------|---------------|----------|----------|---------------|--------------------|
| Female | 9.9           | 12.8     | 12.4     | 1323          | +38.0              |
| Male   | 25.4          | 27.5     | 24.5     | 1782          | +6.7               |

prevalence (%), age-standardized, 2012





Fig. 28: Male binge drinking, 2012




## FINDINGS: SMOKING

| Sex    | Mercer County | Missouri | National | National rank | % change 1996-2012 |
|--------|---------------|----------|----------|---------------|--------------------|
| Female | 24.8          | 23.1     | 17.9     | 2421          | +8.5               |
| Male   | 27.4          | 26.5     | 22.2     | 2072          | -11.7              |

Fig. 29: Female smoking, 2012

#### prevalence (%), age-standardized, 2012



## FINDINGS: OBESITY

| Sex    | Mercer County | Missouri | National | National rank | % change 2001-2011 |
|--------|---------------|----------|----------|---------------|--------------------|
| Female | 36.4          | 38.9     | 36.1     | 997           | +15.2              |
| Male   | 37.2          | 36.6     | 33.8     | 1481          | +26.8              |

prevalence (%), age-standardized, 2011






Fig. 32: Male obesity, 2011




#### FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

| Sex    | Mercer County | Missouri | National | National rank | % change 2001-2011 |
|--------|---------------|----------|----------|---------------|--------------------|
| Female | 54.0          | 50.3     | 52.6     | 902           | +15.1              |
| Male   | 54.7          | 53.6     | 56.3     | 1306          | +3.2               |

prevalence (%), age-standardized, 2011





## **CITATION:**

Institute for Health Metrics and Evaluation (IHME), US County Profile: Mercer County, Missouri. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

