

# COUNTY PROFILE: Monroe County, Kentucky

## US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (<http://vizhub.healthdata.org/subnational/usa>).

## FINDINGS: LIFE EXPECTANCY

Sex	Monroe County	Kentucky	National	National rank	% change 1980-2014
Female	76.9	78.8	81.5	2970	-0.3
Male	70.9	73.7	76.7	2965	+4.1

life expectancy at birth (years), 2014

Fig. 1: Female life expectancy, 2014





Fig. 2: Male life expectancy, 2014



## FINDINGS: ALL-CAUSE MORTALITY

Sex	Monroe County	Kentucky	National	National rank	% change 1980-2014
Female	997.4	827.2	667.8	3068	+13.2
Male	1428.9	1168.6	930.1	3058	-11.5

rate per 100,000 population, age-standardized, 2014

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014




## FINDINGS: ISCHEMIC HEART DISEASE


Sex	Monroe County	Kentucky	National	National rank	% change 1980-2014
Female	277.1	149.9	124.9	3129	-6.4
Male	356.1	235.3	191.5	3100	-37.0

rate per 100,000 population, age-standardized, 2014

**Fig. 5: Female ischemic heart disease, 2014**



**Fig. 6: Male ischemic heart disease, 2014**




## FINDINGS: CEREBROVASCULAR DISEASE (STROKE)


Sex	Monroe County	Kentucky	National	National rank	% change 1980-2014
Female	75.4	55.3	47.4	3018	-27.7
Male	68.7	55.4	48.8	2829	-42.6

rate per 100,000 population, age-standardized, 2014

**Fig. 7: Female cerebrovascular disease (stroke), 2014**



**Fig. 8: Male cerebrovascular disease (stroke), 2014**



## FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

Sex	Monroe County	Kentucky	National	National rank	% change 1980-2014
Female	66.9	67.8	43.8	2943	+141.9
Male	135.3	113.1	67.6	3053	+8.5

rate per 100,000 population, age-standardized, 2014

Fig. 9: Female tracheal, bronchus, and lung cancer, 2014





Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



## FINDINGS: BREAST CANCER

Sex	Monroe County	Kentucky	National	National rank	% change 1980-2014
Female	28.0	27.6	25.9	2225	-4.3
Male	0.3	0.3	0.3	1847	-8.7

rate per 100,000 population, age-standardized, 2014

Fig. 11: Female breast cancer, 2014





Fig. 12: Male breast cancer, 2014



## FINDINGS: MALIGNANT SKIN MELANOMA

Sex	Monroe County	Kentucky	National	National rank	% change 1980-2014
Female	2.8	2.3	1.9	3072	+14.9
Male	6.2	5.6	4.5	2834	+68.1

rate per 100,000 population, age-standardized, 2014

Fig. 13: Female malignant skin melanoma, 2014





Fig. 14: Male malignant skin melanoma, 2014



## FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

Sex	Monroe County	Kentucky	National	National rank	% change 1980-2014
Female	65.1	62.9	49.6	2283	+27.9
Male	83.1	78.4	63.8	2496	+50.9

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



## FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

Sex	Monroe County	Kentucky	National	National rank	% change 1980-2014
Female	11.7	10.3	9.0	2347	+19.7
Male	45.0	35.4	30.9	2708	+8.5

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014





Fig. 18: Male self-harm and interpersonal violence mortality, 2014



## FINDINGS: TRANSPORT INJURIES MORTALITY

Sex	Monroe County	Kentucky	National	National rank	% change 1980-2014
Female	21.5	12.7	8.1	2842	-0.5
Male	56.2	29.1	19.8	2992	-9.9

rate per 100,000 population, age-standardized, 2014

Fig. 19: Female transport injuries mortality, 2014





Fig. 20: Male transport injuries mortality, 2014



## FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

Sex	Monroe County	Kentucky	National	National rank	% change 1980-2014
Female	19.5	15.0	8.2	3014	+1179.0
Male	32.0	29.1	18.7	2945	+438.2

rate per 100,000 population, age-standardized, 2014

Fig. 21: Female mental and substance use disorders mortality, 2014





Fig. 22: Male mental and substance use disorders mortality, 2014



## FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

Sex	Monroe County	Kentucky	National	National rank	% change 1980-2014
Female	14.3	13.2	11.8	2181	+71.4
Male	28.1	25.4	22.2	2399	+27.0

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality, 2014





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014




## FINDINGS: HEAVY DRINKING


Sex	Monroe County	Kentucky	National	National rank	% change 2005-2012
Female	1.2	4.6	6.7	7	+34.3
Male	8.2	10.0	9.9	663	+61.0

prevalence (%), age-standardized, 2012

**Fig. 25: Female heavy drinking, 2012**



**Fig. 26: Male heavy drinking, 2012**




## FINDINGS: BINGE DRINKING


Sex	Monroe County	Kentucky	National	National rank	% change 2002-2012
Female	4.5	9.5	12.4	52	+122.9
Male	14.2	21.0	24.5	48	+48.8

prevalence (%), age-standardized, 2012

**Fig. 27: Female binge drinking, 2012**



**Fig. 28: Male binge drinking, 2012**




## FINDINGS: SMOKING


Sex	Monroe County	Kentucky	National	National rank	% change 1996-2012
Female	29.6	26.0	17.9	3038	-1.0
Male	31.4	28.8	22.2	2890	-18.8

prevalence (%), age-standardized, 2012

**Fig. 29: Female smoking, 2012**



**Fig. 30: Male smoking, 2012**




## FINDINGS: OBESITY


Sex	Monroe County	Kentucky	National	National rank	% change 2001-2011
Female	42.3	39.3	36.1	2423	+15.8
Male	37.9	37.5	33.8	1786	+18.3

prevalence (%), age-standardized, 2011

**Fig. 31: Female obesity, 2011**



**Fig. 32: Male obesity, 2011**





## FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Monroe County	Kentucky	National	National rank	% change 2001-2011
Female	39.3	45.8	52.6	2854	+45.7
Male	43.3	49.9	56.3	2957	+19.5

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011





Fig. 34: Male recommended physical activity, 2011



### CITATION:

Institute for Health Metrics and Evaluation (IHME),  
US County Profile: Monroe County, Kentucky.  
Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation  
2301 Fifth Ave., Suite 600  
Seattle, WA 98121 USA

Telephone: +1-206-897-2800  
E-mail: [engage@healthdata.org](mailto:engage@healthdata.org)  
[www.healthdata.org](http://www.healthdata.org)

