COUNTY PROFILE: Neosho County, Kansas

US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).

FINDINGS: LIFE EXPECTANCY

% change 1980-2014	National rank	National	Kansas	Neosho County	Sex
+3.0	1717	81.5	81.0	80.1	Female
+4.1	1972	76.7	76.5	74.7	Male

life expectancy at birth (years), 2014

Fig. 1: Female life expectancy, 2014





Fig. 2: Male life expectancy, 2014



FINDINGS: ALL-CAUSE MORTALITY

% change 1980-2014	National rank	National	Kansas	Neosho County	Sex
-11.1	1742	667.8	695.4	747.1	Female
-13.7	2094	930.1	963.7	1098.7	Male

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014



FINDINGS: ISCHEMIC HEART DISEASE

% change 1980-2014	National rank	National	Kansas	Neosho County	Sex
-44.3	1583	124.9	123.8	133.9	Female
-39.9	2235	191.5	194.9	240.2	Male

rate per 100,000 population, age-standardized, 2014

Fig. 5: Female ischemic heart disease, 2014





Fig. 6: Male ischemic heart disease, 2014



FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

% change 1980-2014	National rank	National	Kansas	Neosho County	Sex
-43.1	1407	47.4	56.1	49.9	Female
-41.7	1963	48.8	54.1	55.7	Male

Fig. 7: Female cerebrovascular disease (stroke), 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014



FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

% change 1980-2014	National rank	National	Kansas	Neosho County	Sex
+56.3	2012	43.8	46.5	51.7	Female
-7.3	2478	67.6	72.4	100.7	Male

rate per 100,000 population, age-standardized, 2014

Fig. 9: Female tracheal, bronchus, and lung cancer, 2014




Fig. 10: Male tracheal, bronchus, and lung cancer, 2014

150

FINDINGS: BREAST CANCER

% change 1980-2014	National rank	National	Kansas	Neosho County	Sex
-18.5	1615	25.9	25.5	25.9	Female
-4.7	1886	0.3	0.3	0.3	Male

Fig. 11: Female breast cancer, 2014





Fig. 12: Male breast cancer, 2014



FINDINGS: MALIGNANT SKIN MELANOMA

% change 1980-2014	National rank	National	Kansas	Neosho County	Sex
+3.7	2430	1.9	2.2	2.4	Female
+71.1	3046	4.5	5.0	6.7	Male

rate per 100,000 population, age-standardized, 2014

Fig. 13: Female malignant skin melanoma, 2014




Fig. 14: Male malignant skin melanoma, 2014

FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

% change 1980-2014	National rank	National	Kansas	Neosho County	Sex
+47.5	1421	49.6	50.6	53.3	Female
+49.6	1681	63.8	63.6	68.8	Male

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

Sex	Neosho County	Kansas	National	National rank	% change 1980-2014
Female	9.9	9.6	9.0	1734	+22.3
Male	30.5	32.3	30.9	1294	+36.0

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014





Fig. 18: Male self-harm and interpersonal violence mortality, 2014



FINDINGS: TRANSPORT INJURIES MORTALITY

% change 1980-2014	National rank	National	Kansas	Neosho County	Sex
-19.3	2609	8.1	10.3	19.2	Female
-24.7	1880	19.8	23.1	34.0	Male

rate per 100,000 population, age-standardized, 2014

Fig. 19: Female transport injuries mortality, 2014





Fig. 20: Male transport injuries mortality, 2014



http://www.healthdata.org

FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

% change 1980-2014	National rank	National	Kansas	Neosho County	Sex
+682.4	1711	8.2	7.9	8.3	Female
+374.8	2477	18.7	15.1	22.7	Male

rate per 100,000 population, age-standardized, 2014

Fig. 21: Female mental and substance use disorders mortality, 2014





Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

% change 1980-2014	National rank	National	Kansas	Neosho County	Sex
+21.2	1357	11.8	12.1	11.8	Female
+25.7	1031	22.2	21.9	19.0	Male

 $\label{fig:prop:continuous} \textbf{Fig. 23: Female cirrhosis and other chronic liver diseases mortality}, \\$





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014





FINDINGS: HEAVY DRINKING

Sex	Neosho County	Kansas	National	National rank	% change 2005-2012
Female	4.7	5.5	6.7	1354	+32.3
Male	10.3	9.8	9.9	1572	+30.2

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012





FINDINGS: BINGE DRINKING

% change 2002-2012	National rank	National	Kansas	Neosho County	Sex
+4.1	1582	12.4	11.8	10.9	Female
+7.4	1633	24.5	24.6	24.6	Male

prevalence (%), age-standardized, 2012

Fig. 27: Female binge drinking, 2012





Fig. 28: Male binge drinking, 2012



FINDINGS: SMOKING

% change 1996-2012	National rank	National	Kansas	Neosho County	Sex
+7.4	2743	17.9	19.3	26.6	Female
-5.5	1976	22.2	22.9	27.0	Male

prevalence (%), age-standardized, 2012

Fig. 29: Female smoking, 2012





Fig. 30: Male smoking, 2012



FINDINGS: OBESITY

% change 2001-2011	National rank	National	Kansas	Neosho County	Sex
+31.8	1710	36.1	37.3	39.1	Female
+38.3	2356	33.8	35.8	39.3	Male

prevalence (%), age-standardized, 2011

Fig. 31: Female obesity, 2011





Fig. 32: Male obesity, 2011



FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Neosho County	Kansas	National	National rank	% change 2001-2011
Female	47.7	50.5	52.6	1951	+18.2
Male	47.7	53.5	56.3	2546	-12.7

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011





Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Neosho County, Kansas. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA

Telephone: +1-206-897-2800 E-mail: engage@healthdata.org

www.healthdata.org

