COUNTY PROFILE: Pima County, Arizona

US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).

FINDINGS: LIFE EXPECTANCY

% change 1980-2014	National rank	National	Arizona	Pima County	Sex
+4.7	728	81.5	82.0	81.9	Female
+9.5	917	76.7	77.2	77.0	Male

life expectancy at birth (years), 2014

Fig. 1: Female life expectancy, 2014





Fig. 2: Male life expectancy, 2014



FINDINGS: ALL-CAUSE MORTALITY

% change 1980-2014	National rank	National	Arizona	Pima County	Sex
-22.9	534	667.8	612.6	617.8	Female
-35.9	566	930.1	848.2	863.3	Male

rate per 100,000 population, age-standardized, 2014

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014



http://www.healthdata.org

FINDINGS: ISCHEMIC HEART DISEASE

% change 1980-2014	National rank	National	Arizona	Pima County	Sex
-51.3	570	124.9	100.2	100.4	Female
-59.1	482	191.5	160.1	158.5	Male

rate per 100,000 population, age-standardized, 2014

Fig. 5: Female ischemic heart disease, 2014




Fig. 6: Male ischemic heart disease, 2014

FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

% change 1980-2014	National rank	National	Arizona	Pima County	Sex
-34.6	490	47.4	39.7	41.6	Female
-45.8	259	48.8	36.9	39.1	Male

rate per 100,000 population, age-standardized, 2014

Fig. 7: Female cerebrovascular disease (stroke), 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014





FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

% change 1980-2014	National rank	National	Arizona	Pima County	Sex
-5.3	411	43.8	36.8	34.5	Female
-47.2	356	67.6	52.0	51.4	Male

rate per 100,000 population, age-standardized, 2014

Fig. 9: Female tracheal, bronchus, and lung cancer, 2014






FINDINGS: BREAST CANCER


% change 1980-2014	National rank	National	Arizona	Pima County	Sex
-30.8	556	25.9	24.1	22.8	Female
-21.4	264	0.3	0.3	0.2	Male

rate per 100,000 population, age-standardized, 2014

Fig. 11: Female breast cancer, 2014







FINDINGS: MALIGNANT SKIN MELANOMA

% change 1980-2014	National rank	National	Arizona	Pima County	Sex
-9.7	636	1.9	1.9	1.8	Female
+21.0	2218	4.5	4.9	5.4	Male

rate per 100,000 population, age-standardized, 2014

Fig. 13: Female malignant skin melanoma, 2014




Fig. 14: Male malignant skin melanoma, 2014

FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

% change 1980-2014	National rank	National	Arizona	Pima County	Sex
+43.3	803	49.6	43.7	45.8	Female
+38.5	920	63.8	57.8	58.8	Male

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

Sex	Pima County	Arizona	National	National rank	% change 1980-2014
Female	13.0	12.8	9.0	2639	-8.4
Male	39.4	39.4	30.9	2345	-15.4

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014





Fig. 18: Male self-harm and interpersonal violence mortality, 2014

FINDINGS: TRANSPORT INJURIES MORTALITY


% change 1980-2014	National rank	National	Arizona	Pima County	Sex
-50.1	515	8.1	9.4	8.4	Female
-62.3	449	19.8	22.2	18.5	Male

rate per 100,000 population, age-standardized, 2014

Fig. 19: Female transport injuries mortality, 2014







FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

Sex	Pima County	Arizona	National	National rank	% change 1980-2014
Female	13.0	10.3	8.2	2620	+365.5
Male	28.5	24.1	18.7	2817	+233.1

rate per 100,000 population, age-standardized, 2014

Fig. 21: Female mental and substance use disorders mortality, 2014





Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

% change 1980-2014	National rank	National	Arizona	Pima County	Sex
+4.0	2630	11.8	15.1	16.4	Female
-0.2	2650	22.2	27.2	30.9	Male

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality,





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014





FINDINGS: HEAVY DRINKING

% change 2005-2012	National rank	National	Arizona	Pima County	Sex
+25.2	2655	6.7	7.2	8.3	Female
-18.6	794	9.9	9.1	8.6	Male

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012







FINDINGS: BINGE DRINKING

% change 2002-2012	National rank	National	Arizona	Pima County	Sex
-10.6	1833	12.4	12.0	11.9	Female
-9.1	1526	24.5	24.4	24.0	Male

prevalence (%), age-standardized, 2012

Fig. 27: Female binge drinking, 2012





FINDINGS: SMOKING

% change 1996-2012	National rank	National	Arizona	Pima County	Sex
-9.5	563	17.9	18.0	18.0	Female
-14.6	412	22.2	23.2	21.1	Male

prevalence (%), age-standardized, 2012

Fig. 29: Female smoking, 2012




Fig. 30: Male smoking, 2012

10 15 20 25 30 35 40

FINDINGS: OBESITY

% change 2001-2011	National rank	National	Arizona	Pima County	Sex
+32.9	353	36.1	33.8	33.4	Female
+34.7	215	33.8	32.4	31.4	Male

prevalence (%), age-standardized, 2011

Fig. 31: Female obesity, 2011





Fig. 32: Male obesity, 2011



FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Pima County	Arizona	National	National rank	% change 2001-2011
Female	56.8	56.9	52.6	487	+2.8
Male	63.1	59.5	56.3	150	+0.0

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011




Fig. 34: Male recommended physical activity, 2011

CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Pima County, Arizona. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA

Telephone: +1-206-897-2800 E-mail: engage@healthdata.org

www.healthdata.org

