
## US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).


## FINDINGS: LIFE EXPECTANCY

Sex	<b>Posey County</b>	Indiana	National	National rank	% change 1980-2014
Female	81.4	80.0	81.5	984	+4.4
Male	76.5	75.3	76.7	1165	+7.3



life expectancy at birth (years), 2014

Fig. 2: Male life expectancy, 2014



## FINDINGS: ALL-CAUSE MORTALITY

Sex	<b>Posey County</b>	Indiana	National	National rank	% change 1980-2014
Female	690.6	748.0	667.8	1191	-21.2
Male	965.9	1050.9	930.1	1251	-29.8

rate per 100,000 population, age-standardized, 2014





Fig. 4: Male all-cause mortality, 2014



## FINDINGS: ISCHEMIC HEART DISEASE

Sex	<b>Posey County</b>	Indiana	National	National rank	% change 1980-2014
Female	113.8	135.8	124.9	966	-59.5
Male	180.4	213.3	191.5	925	-64.0

rate per 100,000 population, age-standardized, 2014




Fig. 6: Male ischemic heart disease, 2014 50 100 150 200 250 зóо 350 400 450 50<sup>0</sup>

## FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

Sex	<b>Posey County</b>	Indiana	National	National rank	% change 1980-2014
Female	52.3	53.1	47.4	1678	-25.9
Male	48.9	55.3	48.8	1224	-50.3

rate per 100,000 population, age-standardized, 2014






Fig. 8: Male cerebrovascular disease (stroke), 2014





# FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

Sex	Posey County	Indiana	National	National rank	% change 1980-2014
Female	45.9	52.9	43.8	1375	+44.3
Male	74.7	86.5	67.6	1451	-32.6

rate per 100,000 population, age-standardized, 2014





Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



## FINDINGS: BREAST CANCER

Sex	Posey County	Indiana	National	National rank	% change 1980-2014
Female	22.8	26.7	25.9	551	-33.9
Male	0.3	0.4	0.3	1662	-10.0

rate per 100,000 population, age-standardized, 2014




Fig. 11: Female breast cancer, 2014


0.1 0.2 0.3 0.4 0.7 0.8 0.5 0.6


Fig. 12: Male breast cancer, 2014

## FINDINGS: MALIGNANT SKIN MELANOMA

Sex	<b>Posey County</b>	Indiana	National	National rank	% change 1980-2014
Female	2.0	2.2	1.9	1062	-11.1
Male	5.4	5.1	4.5	2134	+65.2

rate per 100,000 population, age-standardized, 2014





# FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

Sex	<b>Posey County</b>	Indiana	National	National rank	% change 1980-2014
Female	43.1	59.9	49.6	621	+16.7
Male	46.7	75.5	63.8	235	+13.8

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



## FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

Sex	Posey County	Indiana	National	National rank	% change 1980-2014
Female	10.5	10.5	9.0	1939	+37.7
Male	31.1	34.5	30.9	1368	+17.2

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014





Fig. 18: Male self-harm and interpersonal violence mortality, 2014



# FINDINGS: TRANSPORT INJURIES MORTALITY

Sex	<b>Posey County</b>	Indiana	National	National rank	% change 1980-2014
Female	10.6	8.5	8.1	908	-28.1
Male	25.7	20.1	19.8	1076	-34.2

rate per 100,000 population, age-standardized, 2014





Fig. 19: Female transport injuries mortality, 2014

Fig. 20: Male transport injuries mortality, 2014



## FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

Sex	Posey County	Indiana	National	National rank	% change 1980-2014
Female	7.2	9.6	8.2	1360	+734.5
Male	11.9	20.6	18.7	926	+301.9

rate per 100,000 population, age-standardized, 2014

Fig. 21: Female mental and substance use disorders mortality, 2014





Fig. 22: Male mental and substance use disorders mortality, 2014




## FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY


Sex	<b>Posey County</b>	Indiana	National	National rank	% change 1980-2014
Female	13.0	11.6	11.8	1790	+72.3
Male	16.3	21.2	22.2	611	+6.2

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality,



### Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014




## FINDINGS: HEAVY DRINKING

Sex	Posey County	Indiana	National	National rank	% change 2005-2012
Female	6.5	5.6	6.7	2127	+59.1
Male	12.8	9.7	9.9	2521	+16.0

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012 8 10 12 14 16 18 20 22 5 ត់



## FINDINGS: BINGE DRINKING

Sex	<b>Posey County</b>	Indiana	National	National rank	% change 2002-2012
Female	15.0	12.1	12.4	2511	+26.6
Male	27.5	24.1	24.5	2165	-7.7

prevalence (%), age-standardized, 2012





Fig. 28: Male binge drinking, 2012




## FINDINGS: SMOKING

Sex	Posey County	Indiana	National	National rank	% change 1996-2012
Female	20.6	22.5	17.9	1190	-18.3
Male	25.6	26.4	22.2	1633	-17.2

prevalence (%), age-standardized, 2012

Fig. 29: Female smoking, 2012 10 15 20 25 зо 35 40



## FINDINGS: OBESITY

Sex	<b>Posey County</b>	Indiana	National	National rank	% change 2001-2011
Female	37.1	39.5	36.1	1184	+28.8
Male	37.8	36.3	33.8	1734	+40.3

prevalence (%), age-standardized, 2011






Fig. 32: Male obesity, 2011





## FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	<b>Posey County</b>	Indiana	National	National rank	% change 2001-2011
Female	50.5	47.6	52.6	1530	+15.5
Male	54.0	52.5	56.3	1468	+1.8

prevalence (%), age-standardized, 2011





Fig. 34: Male recommended physical activity, 2011



## **CITATION:**

Institute for Health Metrics and Evaluation (IHME), US County Profile: Posey County, Indiana. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

