
US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).


FINDINGS: LIFE EXPECTANCY

| Sex | Randolph County | North Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 79.5 | 80.2 | 81.5 | 1991 | +0.5 |
| Male | 74.7 | 75.4 | 76.7 | 1993 | +6.3 |



life expectancy at birth (years), 2014

Fig. 2: Male life expectancy, 2014



FINDINGS: ALL-CAUSE MORTALITY

| Sex | Randolph County | North Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 793.5 | 725.0 | 667.8 | 2151 | +6.3 |
| Male | 1086.1 | 1011.0 | 930.1 | 2041 | -23.4 |

rate per 100,000 population, age-standardized, 2014





Fig. 4: Male all-cause mortality, 2014



FINDINGS: ISCHEMIC HEART DISEASE

| Sex | Randolph County | North Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 126.2 | 114.8 | 124.9 | 1362 | -38.8 |
| Male | 195.1 | 185.5 | 191.5 | 1288 | -59.5 |

rate per 100,000 population, age-standardized, 2014





Fig. 6: Male ischemic heart disease, 2014



FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

| Sex | Randolph County | North Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 57.2 | 55.4 | 47.4 | 2179 | -41.9 |
| Male | 50.3 | 57.5 | 48.8 | 1390 | -62.8 |

rate per 100,000 population, age-standardized, 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014



FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

| Sex | Randolph County | North Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 52.9 | 47.3 | 43.8 | 2127 | +120.1 |
| Male | 100.0 | 82.7 | 67.6 | 2450 | -2.2 |

rate per 100,000 population, age-standardized, 2014





Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



FINDINGS: BREAST CANCER

| Sex | Randolph County | North Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 26.4 | 26.6 | 25.9 | 1780 | -10.6 |
| Male | 0.3 | 0.4 | 0.3 | 1705 | -10.0 |

rate per 100,000 population, age-standardized, 2014





Fig. 11: Female breast cancer, 2014







FINDINGS: MALIGNANT SKIN MELANOMA

| Sex | Randolph County | North Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 2.2 | 2.0 | 1.9 | 1919 | -0.9 |
| Male | 5.5 | 4.8 | 4.5 | 2281 | +34.2 |

rate per 100,000 population, age-standardized, 2014





FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

| Sex | Randolph County | North Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 56.8 | 57.6 | 49.6 | 1688 | +65.6 |
| Male | 71.5 | 71.4 | 63.8 | 1857 | +46.3 |

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014






Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014




FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

| Sex | Randolph County | North Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 9.8 | 9.9 | 9.0 | 1662 | -5.4 |
| Male | 36.0 | 32.2 | 30.9 | 1989 | +4.2 |

rate per 100,000 population, age-standardized, 2014






FINDINGS: TRANSPORT INJURIES MORTALITY

| Sex | Randolph County | North Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 12.2 | 10.1 | 8.1 | 1288 | -23.5 |
| Male | 27.7 | 24.8 | 19.8 | 1262 | -41.8 |

rate per 100,000 population, age-standardized, 2014










Fig. 18: Male self-harm and interpersonal violence mortality, 2014



FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

| Sex | Randolph County | North Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 8.7 | 8.1 | 8.2 | 1833 | +287.2 |
| Male | 17.2 | 17.5 | 18.7 | 1852 | +90.4 |

rate per 100,000 population, age-standardized, 2014







Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

| Sex | Randolph County | North Carolina | National | National rank | % change 1980-2014 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 11.8 | 12.2 | 11.8 | 1351 | +32.1 |
| Male | 23.7 | 23.2 | 22.2 | 1795 | +37.8 |

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality, 2014





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014





FINDINGS: HEAVY DRINKING

| Sex | Randolph County | North Carolina | National | National rank | % change 2005-2012 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 3.5 | 5.0 | 6.7 | 758 | +36.5 |
| Male | 8.1 | 8.4 | 9.9 | 631 | +18.8 |

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012





FINDINGS: BINGE DRINKING

| Sex | Randolph County | North Carolina | National | National rank | % change 2002-2012 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 7.5 | 8.8 | 12.4 | 715 | +41.7 |
| Male | 20.6 | 20.4 | 24.5 | 868 | +23.1 |

prevalence (%), age-standardized, 2012






Fig. 28: Male binge drinking, 2012




FINDINGS: SMOKING

| Sex | Randolph County | North Carolina | National | National rank | % change 1996-2012 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 25.5 | 19.5 | 17.9 | 2570 | -6.9 |
| Male | 27.7 | 23.6 | 22.2 | 2129 | -22.3 |

prevalence (%), age-standardized, 2012








FINDINGS: OBESITY

| Sex | Randolph County | North Carolina | National | National rank | % change 2001-2011 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 38.0 | 38.6 | 36.1 | 1421 | +42.5 |
| Male | 35.3 | 34.9 | 33.8 | 752 | +26.9 |

prevalence (%), age-standardized, 2011







FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

| Sex | Randolph County | North Carolina | National | National rank | % change 2001-2011 |
|--------|------------------------|----------------|----------|---------------|--------------------|
| Female | 45.6 | 48.2 | 52.6 | 2256 | +18.9 |
| Male | 53.0 | 54.3 | 56.3 | 1669 | +7.0 |

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011





Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Randolph County, North Carolina. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

