# COUNTY PROFILE: Sawyer County, Wisconsin

#### US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).

#### FINDINGS: LIFE EXPECTANCY

% change 1980-2014	National rank	National	Wisconsin	<b>Sawyer County</b>	Sex
+3.2	1540	81.5	81.9	80.4	Female
+7.0	1656	76.7	77.7	75.5	Male

life expectancy at birth (years), 2014

Fig. 1: Female life expectancy, 2014





Fig. 2: Male life expectancy, 2014



#### FINDINGS: ALL-CAUSE MORTALITY

Sex	<b>Sawyer County</b>	Wisconsin	National	National rank	% change 1980-2014
Female	737.2	645.7	667.8	1653	-12.6
Male	1021.2	895.4	930.1	1628	-26.0

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014



#### FINDINGS: ISCHEMIC HEART DISEASE

Sex	Sawyer County	Wisconsin	National	National rank	% change 1980-2014
Female	111.0	104.3	124.9	888	-51.8
Male	221.8	174.5	191.5	1891	-50.0

rate per 100,000 population, age-standardized, 2014

Fig. 5: Female ischemic heart disease, 2014





Fig. 6: Male ischemic heart disease, 2014



# FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

% change 1980-2014	National rank	National	Wisconsin	Sawyer County	Sex
-32.6	1304	47.4	45.9	49.1	Female
-36.8	1185	48.8	47.7	48.5	Male

Fig. 7: Female cerebrovascular disease (stroke), 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014



# FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

% change 1980-2014	National rank	National	Wisconsin	Sawyer County	Sex
+73.1	2463	43.8	43.7	57.2	Female
-16.6	1748	67.6	63.0	80.8	Male

rate per 100,000 population, age-standardized, 2014

Fig. 9: Female tracheal, bronchus, and lung cancer, 2014





Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



#### FINDINGS: BREAST CANCER

% change 1980-2014	National rank	National	Wisconsin	Sawyer County	Sex
-30.9	1648	25.9	23.3	26.0	Female
-8.9	529	0.3	0.3	0.3	Male

Fig. 11: Female breast cancer, 2014





Fig. 12: Male breast cancer, 2014



#### FINDINGS: MALIGNANT SKIN MELANOMA

% change 1980-2014	National rank	National	Wisconsin	Sawyer County	Sex
+0.2	817	1.9	1.8	1.9	Female
+53.5	847	4.5	4.3	4.3	Male

rate per 100,000 population, age-standardized, 2014

Fig. 13: Female malignant skin melanoma, 2014




Fig. 14: Male malignant skin melanoma, 2014

FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

% change 1980-2014	National rank	National	Wisconsin	Sawyer County	Sex
+61.6	1032	49.6	45.1	48.6	Female
+50.7	1251	63.8	58.9	63.4	Male

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



#### FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

Sex	Sawyer County	Wisconsin	National	National rank	% change 1980-2014
Female	10.0	8.5	9.0	1760	+36.2
Male	37.5	26.3	30.9	2162	+5.5

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014





Fig. 18: Male self-harm and interpersonal violence mortality, 2014  $\,$ 



# FINDINGS: TRANSPORT INJURIES MORTALITY

% change 1980-2014	National rank	National	Wisconsin	Sawyer County	Sex
-21.4	2415	8.1	7.8	17.8	Female
-30.2	2158	19.8	17.6	37.3	Male

Fig. 19: Female transport injuries mortality, 2014





Fig. 20: Male transport injuries mortality, 2014



#### FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

Sex	Sawyer County	Wisconsin	National	National rank	% change 1980-2014
Female	11.1	8.4	8.2	2379	+512.8
Male	17.7	17.0	18.7	1945	+156.8

rate per 100,000 population, age-standardized, 2014

Fig. 21: Female mental and substance use disorders mortality, 2014





Fig. 22: Male mental and substance use disorders mortality, 2014



#### FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

% change 1980-2014	National rank	National	Wisconsin	<b>Sawyer County</b>	Sex
+19.2	2752	11.8	10.4	17.4	Female
-1.2	2530	22.2	16.8	29.4	Male

Fig. 23: Female cirrhosis and other chronic liver diseases mortality,





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014





## FINDINGS: HEAVY DRINKING

Sex	<b>Sawyer County</b>	Wisconsin	National	National rank	% change 2005-2012
Female	11.8	10.4	6.7	3056	+29.4
Male	17.8	13.6	9.9	3071	+3.1

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012





FINDINGS: BINGE DRINKING

% change 2002-2012	National rank	National	Wisconsin	Sawyer County	Sex
+29.9	3092	12.4	19.7	23.3	Female
+7.6	3096	24.5	32.7	39.7	Male

prevalence (%), age-standardized, 2012

Fig. 27: Female binge drinking, 2012





Fig. 28: Male binge drinking, 2012





## FINDINGS: SMOKING

% change 1996-2012	National rank	National	Wisconsin	Sawyer County	Sex
-6.8	2139	17.9	19.5	23.7	Female
-14.1	1533	22.2	22.3	25.3	Male

prevalence (%), age-standardized, 2012

Fig. 29: Female smoking, 2012





#### FINDINGS: OBESITY

% change 2001-2011	National rank	National	Wisconsin	Sawyer County	Sex
+27.7	1278	36.1	36.0	37.4	Female
+28.4	811	33.8	35.2	35.5	Male

prevalence (%), age-standardized, 2011

Fig. 31: Female obesity, 2011





Fig. 32: Male obesity, 2011



#### FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	<b>Sawyer County</b>	Wisconsin	National	National rank	% change 2001-2011
Female	58.5	57.7	52.6	307	+8.3
Male	59.9	59.5	56.3	404	-0.8

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011




Fig. 34: Male recommended physical activity, 2011

## **CITATION:**

Institute for Health Metrics and Evaluation (IHME), US County Profile: Sawyer County, Wisconsin. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA

Telephone: +1-206-897-2800 E-mail: engage@healthdata.org

www.healthdata.org

