
US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (http://vizhub.healthdata.org/subnational/usa).

FINDINGS: LIFE EXPECTANCY

Sex	Washtenaw County	Michigan	National	National rank	% change 1980-2014
Female	82.6	80.5	81.5	387	+5.2
Male	79.4	76.0	76.7	142	+10.2



life expectancy at birth (years), 2014

Fig. 2: Male life expectancy, 2014

FINDINGS: ALL-CAUSE MORTALITY

Sex	Washtenaw County	Michigan	National	National rank	% change 1980-2014
Female	606.3	714.0	667.8	455	-27.6
Male	785.6	988.1	930.1	210	-43.0

rate per 100,000 population, age-standardized, 2014

Fig. 3: Female all-cause mortality, 2014






Fig. 4: Male all-cause mortality, 2014




FINDINGS: ISCHEMIC HEART DISEASE

Sex	Washtenaw County	Michigan	National	National rank	% change 1980-2014
Female	106.5	152.0	124.9	736	-54.3
Male	148.7	226.2	191.5	314	-68.4

rate per 100,000 population, age-standardized, 2014







FINDINGS: CEREBROVASCULAR DISEASE (STROKE)


Sex	Washtenaw County	Michigan	National	National rank	% change 1980-2014
Female	45.5	48.2	47.4	862	-48.9
Male	48.4	48.7	48.8	1165	-47.0

rate per 100,000 population, age-standardized, 2014









FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

Sex	Washtenaw County	Michigan	National	National rank	% change 1980-2014
Female	38.4	48.9	43.8	690	+5.9
Male	50.1	72.6	67.6	311	-50.8

rate per 100,000 population, age-standardized, 2014





Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



FINDINGS: BREAST CANCER

Sex	Washtenaw County	Michigan	National	National rank	% change 1980-2014
Female	24.8	26.2	25.9	1177	-32.3
Male	0.3	0.4	0.3	2111	-13.4

rate per 100,000 population, age-standardized, 2014




Fig. 11: Female breast cancer, 2014






Fig. 12: Male breast cancer, 2014

FINDINGS: MALIGNANT SKIN MELANOMA

Sex	Washtenaw County	Michigan	National	National rank	% change 1980-2014
Female	1.6	1.7	1.9	308	+4.3
Male	3.6	4.1	4.5	349	+15.1

rate per 100,000 population, age-standardized, 2014





FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

Sex	Washtenaw County	Michigan	National	National rank	% change 1980-2014
Female	42.3	53.7	49.6	565	+15.0
Male	49.1	69.6	63.8	336	-7.1

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014






Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

Sex	Washtenaw County	Michigan	National	National rank	% change 1980-2014
Female	7.0	10.0	9.0	552	-39.0
Male	20.4	32.7	30.9	190	-25.8

rate per 100,000 population, age-standardized, 2014







Fig. 18: Male self-harm and interpersonal violence mortality, 2014



FINDINGS: TRANSPORT INJURIES MORTALITY

Sex	Washtenaw County	Michigan	National	National rank	% change 1980-2014
Female	4.7	7.5	8.1	64	-55.3
Male	11.7	16.9	19.8	81	-51.7

rate per 100,000 population, age-standardized, 2014





Fig. 20: Male transport injuries mortality, 2014



FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

Sex	Washtenaw County	Michigan	National	National rank	% change 1980-2014
Female	7.8	9.7	8.2	1551	+409.2
Male	16.7	21.7	18.7	1768	+227.0

rate per 100,000 population, age-standardized, 2014







Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

Sex	Washtenaw County	Michigan	National	National rank	% change 1980-2014
Female	9.0	11.6	11.8	423	-16.5
Male	14.8	20.6	22.2	395	-31.8

rate per 100,000 population, age-standardized, 2014







Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014




FINDINGS: HEAVY DRINKING

Sex	Washtenaw County	Michigan	National	National rank	% change 2005-2012
Female	9.3	7.5	6.7	2855	+37.9
Male	9.1	10.6	9.9	1079	+6.8

Fig. 25: Female heavy drinking, 2012


prevalence (%), age-standardized, 2012





FINDINGS: BINGE DRINKING

Sex	Washtenaw County	Michigan	National	National rank	% change 2002-2012
Female	15.6	14.8	12.4	2618	+37.7
Male	22.0	27.5	24.5	1133	-5.3

prevalence (%), age-standardized, 2012









FINDINGS: SMOKING

Sex	Washtenaw County	Michigan	National	National rank	% change 1996-2012
Female	14.4	21.5	17.9	158	-14.0
Male	15.3	24.2	22.2	35	-31.2

prevalence (%), age-standardized, 2012





FINDINGS: OBESITY

Sex	Washtenaw County	Michigan	National	National rank	% change 2001-2011
Female	29.6	39.5	36.1	128	+28.9
Male	27.0	36.6	33.8	52	+27.9

prevalence (%), age-standardized, 2011





Fig. 32: Male obesity, 2011



FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Washtenaw County	Michigan	National	National rank	% change 2001-2011
Female	63.6	53.8	52.6	71	+13.8
Male	61.1	57.8	56.3	269	-3.2

prevalence (%), age-standardized, 2011





Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME), US County Profile: Washtenaw County, Michigan. Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation 2301 Fifth Ave., Suite 600 Seattle, WA 98121 USA Telephone: +1-206-897-2800 E-mail: engage@healthdata.org www.healthdata.org

